

Beurteilung Spiegelungsfähigkeit

Beschreibung Abspielumgebung

Werktitel	Das Metatron-Projekt
Werkversion	20.11.2014
Autor	Kyon
Hauptseite-URL	http://www.metatrons.net/schalter.html
Datum der Sichtung	20.11.2014
Bearbeiter	S. Kuch
Einrichtung	Deutsches Literaturarchiv Marbach
Betriebssystem	Windows XP
Browser	Firefox 17.0.7
Plugins	

Eine Liste aller zum Werk gehörenden und getesteten URLs findet sich im Anhang A. Das Ergebnis der automatisierten Evaluation mittels ArchiveReady findet sich in Anhang B.

Für die Beurteilung der Archivierbarkeit ist die Anzahl der negativ gewerteten Eigenschaften unerheblich.

Teilbereiche

Dieser Beurteilungsleitfaden beruht auf dem Paper „CLEAR: a credible method to evaluate website archivability“¹ und dient als Grundlage für die Entwicklung eines Programms, das die Beurteilung semiautomatisch durchführt.

Zugänglichkeit

1. Validieren alle Hyperlinks? - Nein.
2. Werden Inhalte dynamisch generiert? - Nein.
3. Gibt es bereits eine archivierte Version, z. B. bei archive.org? Welche Qualität hat diese? - Ja, funktionsfähig.
4. Verfügt die Seite über eine Sitemap? - Nein.
5. Verfügt die Seite über eine robots.txt? Schließt diese Crawler oder bestimmten Content aus? - Nein.
6. Verfügt die Seite über Feeds? - Nein.
7. Werden proprietäre Datenformate (Flash/Quicktime) verwendet? - Nein.

Standardkonformität

1. Validierung referenzierter Medien (Bilder, Audio, Video, ...) - Nicht bestanden.
2. Compliance-Prüfung von Webelementen (HTML, CSS) - Nicht bestanden (invalides HTML).

Performanz

Werden Anfragen ausreichend schnell beantwortet? - Bestanden.

Kohäsion

Werden Dateien auf verschiedenen Systemen gehostet? - Nein.

¹ Banos et al.: *CLEAR: a credible method to evaluate website archivability*. Lisabon. 2013.

Metadaten

Sind Metadaten aus HTTP Headern vorhanden? - Ja.

Bemerkungen

Die identifizierten invaliden Links sind extern und nicht maßgeblich für das Werk.

Beurteilung

Der schlechteste Wert aus der Evaluierung aller Dokumente ist maßgeblich für die Archivierbarkeit der gesamten Webresource.

Archivierbarkeit 88%

Anhang A: Liste aller zum Werk gehörenden und getesteten URLs

<http://www.metatrons.net/1533.html>
<http://www.metatrons.net/audio/metatronhoerspiel.html>
<http://www.metatrons.net/baby.html>
<http://www.metatrons.net/baum.html>
<http://www.metatrons.net/buch.html>
<http://www.metatrons.net/dank.html>
<http://www.metatrons.net/daumen.html>
<http://www.metatrons.net/distend.html>
<http://www.metatrons.net/engel.html>
<http://www.metatrons.net/esch.html>
<http://www.metatrons.net/euro.html>
<http://www.metatrons.net/feld.html>
<http://www.metatrons.net/fest.html>
<http://www.metatrons.net/figur.html>
<http://www.metatrons.net/fisch.html>
<http://www.metatrons.net/flug.html>
<http://www.metatrons.net/gen.html>
<http://www.metatrons.net/hande.html>
<http://www.metatrons.net/haus.html>
<http://www.metatrons.net/hirnst.html>
<http://www.metatrons.net/inhalta.html>
<http://www.metatrons.net/inhalt.html>
<http://www.metatrons.net/keks.html>
<http://www.metatrons.net/komm.html>
<http://www.metatrons.net/krebse.html>
<http://www.metatrons.net/lampe.html>
<http://www.metatrons.net/m10.html>
<http://www.metatrons.net/m12.html>
<http://www.metatrons.net/m13.html>
<http://www.metatrons.net/m14.html>
<http://www.metatrons.net/m15.html>
<http://www.metatrons.net/m16.html>
<http://www.metatrons.net/m17.html>
<http://www.metatrons.net/m1haar2.html>
<http://www.metatrons.net/m1haar.html>
<http://www.metatrons.net/m2.html>
<http://www.metatrons.net/m2seil2.html>

<http://www.metatrons.net/m2taub.html>
<http://www.metatrons.net/m3ha22.html>
<http://www.metatrons.net/m3ha31.html>
<http://www.metatrons.net/m3haar2.html>
<http://www.metatrons.net/m3.html>
<http://www.metatrons.net/m3stri.html>
<http://www.metatrons.net/m4.html>
<http://www.metatrons.net/m4str.html>
<http://www.metatrons.net/m5.html>
<http://www.metatrons.net/m5stri.html>
<http://www.metatrons.net/m6.html>
<http://www.metatrons.net/m6stri.html>
<http://www.metatrons.net/m6tau.html>
<http://www.metatrons.net/m7.html>
<http://www.metatrons.net/m7tau.html>
<http://www.metatrons.net/m8.html>
<http://www.metatrons.net/m9.html>
<http://www.metatrons.net/manf.html>
<http://www.metatrons.net/maria.html>
<http://www.metatrons.net/marian.html>
<http://www.metatrons.net/marmor.html>
<http://www.metatrons.net/mAT.html>
<http://www.metatrons.net/mdrei1.html>
<http://www.metatrons.net/mdrei2.html>
<http://www.metatrons.net/mdrei3.html>
<http://www.metatrons.net/meins.html>
<http://www.metatrons.net/mfehl.html>
<http://www.metatrons.net/mgold.html>
<http://www.metatrons.net/michel.html>
<http://www.metatrons.net/michlag.html>
<http://www.metatrons.net/michla.html>
<http://www.metatrons.net/morph.html>
<http://www.metatrons.net/mrot.html>
<http://www.metatrons.net/mschw.html>
<http://www.metatrons.net/mseil2.html>
<http://www.metatrons.net/mzwei2.html>
<http://www.metatrons.net/mzwei.html>
<http://www.metatrons.net/press.html>
<http://www.metatrons.net/robots.txt>
<http://www.metatrons.net/schalter.html>
<http://www.metatrons.net/schiff.html>
<http://www.metatrons.net/spiegel.html>
<http://www.metatrons.net/trepp.html>
<http://www.metatrons.net/viren.html>
<http://www.metatrons.net/wurmblau.html>
<http://www.metatrons.net/wurmgold.html>
<http://www.metatrons.net/wurmgrau.html>
<http://www.metatrons.net/wurmrot.html>
<http://www.metatrons.net/wurmsch.html>
<http://www.metatrons.net/wurmweis.html>

Anhang B

URL: <http://www.metatrons.net/1533.html>
Testdatum: 2014-11-19 08:13:12.920986
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/1533.GIF>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/1533.GIF>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:13:05 CET
RepresentationInformation: /tmp/54974675 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:13:05 CET Size: 24508 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 425
LogicalScreenHeight: 269 ColorResolution: 3 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered

```
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 425 ImageHeight: 269 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/1533.html>. Located 19 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Mon, 21 Jul 2008 14:11:48 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6c296-2f2-4528949bd9100"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/audio/metatronhoerspiel.html>
Testdatum: 2014-11-19 08:13:20.631672
Standard Compliance: 80
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 2, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 2 local images:

<http://www.metatrons.net/audio/dlr-metatron-sehrklein.jpg>

<http://www.metatrons.net/audio/metatron-schrift1.jpg>

Titel: Checking 2 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/audio/dlr-metatron-sehrklein.jpg>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:13:13 CET
RepresentationInformation: /tmp/90804614 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-19 08:13:13 CET Size: 30558 Format: JPEG Version: 1.01 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder: big_endian CompressionScheme: JPEG ImageWidth: 139 ImageHeight: 512 ColorSpace: YCbCr SamplingFrequencyUnit: inch XSamplingFrequency: 314 YSamplingFrequency: 314 BitsPerSample: 8, 8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 Scans: 1 QuantizationTables: QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 QuantizationTable: Precision: 8-bit DestinationIdentifier: 1 Exif: ExifVersion: 0220 FlashpixVersion: 0100 FocalPlaneResolutionUnit: inches ApplicationSegments: APP0, APP1
</pre>

Titel: Image checked: <http://www.metatrons.net/audio/metatron-schrift1.jpg>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:13:13 CET
RepresentationInformation: /tmp/46905435 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-19 08:13:13 CET Size: 3767 Format: JPEG Version: 1.01 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:

```
big_endian CompressionScheme: JPEG ImageWidth: 195 ImageHeight: 83
ColorSpace: YCbCr SamplingFrequencyUnit: inch XSamplingFrequency: 72
YSamplingFrequency: 72 BitsPerSample: 8, 8, 8 BitsPerSampleUnit: integer
SamplesPerPixel: 3 Scans: 1 QuantizationTables: QuantizationTable:
Precision: 8-bit DestinationIdentifier: 0 QuantizationTable: Precision: 8-
bit DestinationIdentifier: 1 Comments: File written by Adobe Photoshop 5.0
ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/audio/metatronhoerspiel.html>.
Located 5 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 24 Jun 2014 11:38:33 GMT
HTTP Etag was clearly
defined in HTTP headers: "41ff9427-4dd-4fc936645167c"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/baby.html>
Testdatum: 2014-11-19 08:13:28.375628
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.metatrons.net/FRITZ.gif

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/FRITZ.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:13:21 CET
RepresentationInformation: /tmp/94264446 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:13:21 CET Size: 17676 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 425
LogicalScreenHeight: 289 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 191, 191, 191,
131, 131, 131, 77, 77, 77, 32, 32, 32, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 425 ImageHeight: 289 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/baby.html>. Located 11 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined

in HTTP headers: Mon, 21 Jul 2008 14:11:44 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6c2a7-252-4528949808800"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/baum.html>
Testdatum: 2014-11-19 08:13:36.317686
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/Baumspie.GIF>

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/Baumspie.GIF>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:13:29 CET
RepresentationInformation: /tmp/59771487 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:13:28 CET Size: 24788 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFmetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 425
LogicalScreenHeight: 286 ColorResolution: 3 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 425 ImageHeight: 286 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/baum.html>. Located 19 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH

Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:11:41 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6c2aa-349-452894952c140"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH

Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/buch.html>
Testdatum: 2014-11-19 08:13:44.029730
Standard Compliance: 78
Archivierbarkeit: 91

Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/Nagelbuch.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/Nagelbuch.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:13:37 CET
RepresentationInformation: /tmp/62868614 ReportingModule: GIF-hul, Rel. 1.3 (2006-09-05) LastModified: 2014-11-19 08:13:37 CET Size: 47391 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 407
LogicalScreenHeight: 227 ColorResolution: 7 BackgroundColorIndex: 255

Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 25 Mar 2014 09:39:58 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6c2ad-240-4f56b22ad6eca"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/dank.html>
Testdatum: 2014-11-19 08:13:52.178103

Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:13:45 CET
RepresentationInformation: /tmp/92543573 ReportingModule: GIF-hul, Rel. 1.3

```
(2006-09-05) LastModified: 2014-11-19 08:13:44 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:13:45 CET
RepresentationInformation: /tmp/55177891 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:13:44 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:13:45 CET
RepresentationInformation: /tmp/76278700 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:13:44 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
```

```
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/augebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:13:45 CET
RepresentationInformation: /tmp/83518264 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:13:44 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.
```

```
-----
Titel: Invalid HTML http://www.metatrons.net/dank.html. Located 44 errors,
9 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly
```

```
-----
Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.
```

```
-----
Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.
```

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:11:31 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6c2ae-1139-4528948ba2ac0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/daumen.html>

Testdatum: 2014-11-19 08:14:09.694885

Standard Compliance: 78

Archivierbarkeit: 91

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/daumen2.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/daumen2.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:13:53 CET
RepresentationInformation: /tmp/58952195 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:13:52 CET Size: 6224 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 360
LogicalScreenHeight: 437 ColorResolution: 1 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered

```
GlobalColorTableSize: 0 GlobalColorTable: 192, 192, 192, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 360 ImageHeight: 437 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/daumen.html>. Located 12
errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The

absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTPheaders: Mon, 21 Jul 2008 14:11:29 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6c2b0-230-45289489ba640"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/distend.html>
Testdatum: 2014-11-19 08:14:17.249140
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/distend.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/distend.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:14:10 CET
RepresentationInformation: /tmp/93835412 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:14:10 CET Size: 6716 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 432
LogicalScreenHeight: 615 ColorResolution: 1 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 192, 192, 192, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 432 ImageHeight: 615 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/distend.html. Located 13 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:11:25 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6c2b4-273-45289485e9d40"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/engel.html>

Testdatum: 2014-11-19 08:14:24.947489

Standard Compliance: 78

Archivierbarkeit: 91

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/engel.html. Located 11 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:11:20 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6c2b7-25f-4528948125200"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/esch.html>

Testdatum: 2014-11-19 08:14:32.719544

Standard Compliance: 78

Archivierbarkeit: 91

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.metatrons.net/escher.gif

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/escher.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:14:25 CET
RepresentationInformation: /tmp/96018387 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:14:25 CET Size: 7624 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 340
LogicalScreenHeight: 302 ColorResolution: 1 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 192, 192, 192, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 340 ImageHeight: 302 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/esch.html. Located 12 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:11:17 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6c2b8-252-4528947e48b40"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/euro.html>

Testdatum: 2014-11-19 08:14:40.575116

Standard Compliance: 78

Archivierbarkeit: 91

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/europa.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/europa.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:14:33 CET
RepresentationInformation: /tmp/18921063 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:14:33 CET Size: 39669 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 400
LogicalScreenHeight: 330 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 253, 250, 250, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 400 ImageHeight: 330 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/euro.html>. Located 11 errors,
4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:11:15 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6c2ba-205-4528947c606c0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/feld.html>

Testdatum: 2014-11-19 08:14:48.388786

Standard Compliance: 78

Archivierbarkeit: 91

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists http://www.metatrons.net/sitemap.xml
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.metatrons.net/Feld.gif

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/Feld.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:14:41 CET
RepresentationInformation: /tmp/70381467 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:14:41 CET Size: 26595 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 287
LogicalScreenHeight: 425 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0

```
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:  
Image is interlaced LocalColorTableFlag: No local color table; use global  
table if available LocalColorTableSortFlag: Not ordered  
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian  
CompressionScheme: LZW ImageWidth: 287 ImageHeight: 425 ColorSpace: palette  
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer  
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/feld.html>. Located 11 errors,
4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Mon, 21 Jul 2008 14:11:09 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6c2be-237-45289476a7940"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/fest.html>
Testdatum: 2014-11-19 08:14:56.054137
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.metatrons.net/festpl.gif

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/festpl.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:14:49 CET
RepresentationInformation: /tmp/45579061 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:14:49 CET Size: 22322 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 411
LogicalScreenHeight: 289 ColorResolution: 4 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 3 GlobalColorTable: 255, 255, 255, 255, 204, 204,
204, 255, 255, 204, 204, 204, 204, 153, 153, 153, 204, 204, 153, 153, 153,
153, 102, 102, 102, 153, 153, 102, 102, 102, 102, 51, 51, 51, 102, 102, 51,
51, 51, 51, 0, 0, 0, 51, 51, 192, 192, 192 GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 0
TransparentColorIndex: 15 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is interlaced LocalColorTableFlag:
No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 411 ImageHeight: 289 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/fest.html. Located 11 errors,
4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 1 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:11:08 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6c2bf-224-45289475b3700"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/figur.html>

Testdatum: 2014-11-19 08:15:04.141750

Standard Compliance: 78

Archivierbarkeit: 91

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:11:04 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb01-239-45289471e2e00"
HTTP caching headers are critical to improve web archiving bots performance because they

help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/fisch.html>
Testdatum: 2014-11-19 08:15:11.822787
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/fisch.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/fisch.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:15:04 CET
RepresentationInformation: /tmp/50024282 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:15:04 CET Size: 24169 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 425
LogicalScreenHeight: 287 ColorResolution: 4 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 3 GlobalColorTable: 255, 255, 255, 255, 255, 204,
192, 192, 192, 204, 204, 204, 204, 204, 153, 153, 153, 153, 153, 153, 102,
102, 102, 153, 102, 102, 102, 51, 51, 153, 51, 51, 102, 51, 51, 51, 51, 51,
0, 0, 0, 51, 0, 0, 0, 0, 0, 0 GraphicControlExtension: DisposalMethod: No
disposal specified UserInputFlag: User input not expected TransparencyFlag:
Transparent index given DelayTime: 0 TransparentColorIndex: 2
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 425 ImageHeight: 287 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/fisch.html>. Located 11 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100

Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:11:03 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb03-250-45289470eebc0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/flug.html>
Testdatum: 2014-11-19 08:15:29.182491
Standard Compliance: 78

Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/flug.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/flug.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:15:12 CET
RepresentationInformation: /tmp/29669405 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:15:12 CET Size: 10384 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 248

```
LogicalScreenHeight: 340 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 192, 192, 192, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 248 ImageHeight: 340 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/flug.html>. Located 12 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:11:02 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb06-224-4528946ffa980"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/gen.html>
Testdatum: 2014-11-19 08:15:36.947378
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/gene.GIF>

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/gene.GIF>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:15:30 CET
RepresentationInformation: /tmp/93521771 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:15:29 CET Size: 10487 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 425
LogicalScreenHeight: 322 ColorResolution: 3 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 425 ImageHeight: 322 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/gen.html. Located 17 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Mon, 21 Jul 2008 14:10:59 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cb08-2e4-4528946d1e2c0"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/hande.html>
Testdatum: 2014-11-19 08:15:40.782837
Standard Compliance: 75
Archivierbarkeit: 90
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: No images found in this page.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Therefore, it is easier to be archived.

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/hande.html. Located 21 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Mon, 21 Jul 2008 14:10:58 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cb0a-334-4528946c2a080"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrone.net/haus.html>
Testdatum: 2014-11-19 08:15:48.422060
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrone.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.metatrons.net/hausgr.gif

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/hausgr.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:15:41 CET
RepresentationInformation: /tmp/31763086 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:15:41 CET Size: 22128 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 289
LogicalScreenHeight: 425 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 192, 192, 192, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 5 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 289 ImageHeight: 425 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/haus.html. Located 11 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:10:56 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb0c-369-4528946a41c00"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/hirnst.html>
Testdatum: 2014-11-19 08:15:56.322002
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/gehirn2.GIF>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I

have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/gehirn2.GIF>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:15:49 CET
RepresentationInformation: /tmp/59021659 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:15:49 CET Size: 9225 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 260
LogicalScreenHeight: 197 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 192, 192, 192, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 260 ImageHeight: 197 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/hirnst.html>. Located 12
errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:10:53 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb0e-630-4528946765540"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/inhalt.html>

Testdatum: 2014-11-19 08:16:14.118992

Standard Compliance: 78

Archivierbarkeit: 91

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/baum.JPG.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/baum.JPG.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:16:05 CET
RepresentationInformation: /tmp/40725208 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:16:04 CET Size: 18947 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 436
LogicalScreenHeight: 680 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered

```
GlobalColorTableSize: 2 GlobalColorTable: 192, 192, 192, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 436 ImageHeight: 680 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/inhalt.html>. Located 20 errors, 5 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 47 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Wed, 13 Aug 2008 13:57:52 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb12-231c-45457c642d800"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/inhalta.html>
Testdatum: 2014-11-19 08:16:04.173999
Standard Compliance: 75
Archivierbarkeit: 90
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap

is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: No images found in this page.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Therefore, it is easier to be archived.

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/inhalta.html>. Located 42 errors, 5 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 47 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:10:45 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb13-221d-4528945fc4340"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/keks.html>
Testdatum: 2014-11-19 08:16:31.979961
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:10:13 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb1c-3a3-452894413fb40"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/komm.html>
Testdatum: 2014-11-19 08:16:39.617329
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/kommuni.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/kommuni.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:16:32 CET
RepresentationInformation: /tmp/76796815 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:16:32 CET Size: 20448 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFmetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 425
LogicalScreenHeight: 287 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 425 ImageHeight: 287 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/komm.html>. Located 12 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web

archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:10:12 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb1e-28f-452894404b900"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/krebse.html>

Testdatum: 2014-11-19 08:16:47.422443

Standard Compliance: 78

Archivierbarkeit: 91

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/KREBSU.GIF.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/KREBSU.GIF.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:16:40 CET
RepresentationInformation: /tmp/99425515 ReportingModule: GIF-hul, Rel. 1.3 (2006-09-05) LastModified: 2014-11-19 08:16:40 CET Size: 5229 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 317
LogicalScreenHeight: 369 ColorResolution: 1 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 192, 192, 192, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0

```
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 317 ImageHeight: 369 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/krebse.html. Located 12 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:10:08 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb21-25c-4528943c7b000"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/lampe.html>
Testdatum: 2014-11-19 08:16:55.129459
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/lampe.html. Located 10 errors,
4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 1 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 25 Mar 2014 08:39:23 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cb25-2cf-4f56a49fefac6"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m10.html>
Testdatum: 2014-11-19 08:17:03.168637
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What

is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of
a digital object to the specification for its purported format, e.g.: I
have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:16:56 CET
RepresentationInformation: /tmp/83489422 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:16:55 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:16:56 CET
RepresentationInformation: /tmp/49241711 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:16:55 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
```

```
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:16:56 CET
RepresentationInformation: /tmp/54103183 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:16:55 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:16:56 CET
RepresentationInformation: /tmp/52433846 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:16:55 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/m10.html. Located 25 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 5 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:50 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb26-b61-4528942b50780"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 30 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m12.html>

Testdatum: 2014-11-19 08:17:12.213482

Standard Compliance: 83

Archivierbarkeit: 91

Accessibility: 82

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
<http://www.metatrons.net/homebu.gif>
<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:04 CET
RepresentationInformation: /tmp/70241485 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:04 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:04 CET
RepresentationInformation: /tmp/27026738 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:04 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/endbu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:04 CET
RepresentationInformation: /tmp/21501004 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:04 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/augebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:04 CET
RepresentationInformation: /tmp/95635247 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:04 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m12.html>. Located 32 errors, 4
warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: There are 6 valid and 1 invalid links.

Level: 85

Gewichtung: HIGH

Beschreibung:

Invalid links prevent web bots from accessing the full content , in order to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,
/>Invalid links:
 , <http://www.designegg.com/insertmonkey/clock.swf>
 , Valid links:
 , <http://www.metatrons.net/m2seil2.html>
<http://www.zeit.de>
<http://www.metatrons.net/schalter.html>
<http://www.metatrons.net/wurmweis.html>
<http://www.metatrons.net/inhalt.html>
<http://www.metatrons.net/fisch.html>

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:48 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb28-d75-4528942968300"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m13.html>

Testdatum: 2014-11-19 08:17:20.099787

Standard Compliance: 83

Archivierbarkeit: 92

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available

in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:13 CET
RepresentationInformation: /tmp/65988959 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:12 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:13 CET
RepresentationInformation: /tmp/4534922 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:12 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
```

```
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/endbu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:13 CET
RepresentationInformation: /tmp/91337537 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:12 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/augebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:13 CET
RepresentationInformation: /tmp/62075806 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:12 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.
```

Titel: Invalid HTML http://www.metatrons.net/m13.html. Located 26 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 5 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:47 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb29-d28-45289428740c0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m14.html>
Testdatum: 2014-11-19 08:17:28.243576
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:21 CET
RepresentationInformation: /tmp/6033217 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:20 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:21 CET
RepresentationInformation: /tmp/9105540 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:20 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:21 CET
RepresentationInformation: /tmp/53421693 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:20 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:21 CET
RepresentationInformation: /tmp/17654022 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:20 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m14.html>. Located 30 errors, 4
warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 5 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:46 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb2b-1117-452894277fe80"
HTTP caching headers are critical to improve web archiving bots performance because they

help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m15.html>
Testdatum: 2014-11-19 08:17:46.023607
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:29 CET
RepresentationInformation: /tmp/77525189 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:29 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:29 CET
RepresentationInformation: /tmp/42984432 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:29 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:29 CET
RepresentationInformation: /tmp/33940417 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:29 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:29 CET
RepresentationInformation: /tmp/66662851 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:28 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m15.html>. Located 26 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 5 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:44 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb2d-d29-4528942597a00"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m16.html>

Testdatum: 2014-11-19 08:17:53.971546

Standard Compliance: 83

Archivierbarkeit: 92

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of

a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:47 CET
RepresentationInformation: /tmp/72678793 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:46 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:47 CET
RepresentationInformation: /tmp/22753299 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:46 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/endbu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:47 CET
RepresentationInformation: /tmp/72503355 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:46 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul

```
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/augebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:47 CET
RepresentationInformation: /tmp/73380685 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:46 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.
```

```
-----
Titel: Invalid HTML http://www.metatrons.net/ml6.html. Located 26 errors, 4
warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly
```

```
-----
Titel: 5 valid links identified.
Level: 100
```

Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:43 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb2f-c1e-45289424a37c0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web

accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m17.html>
Testdatum: 2014-11-19 08:18:01.853882
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:54 CET
RepresentationInformation: /tmp/42354364 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:54 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:55 CET
RepresentationInformation: /tmp/83454847 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:54 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:54 CET
RepresentationInformation: /tmp/54624814 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:54 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
```

```
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:17:54 CET
RepresentationInformation: /tmp/50099278 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:17:54 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m17.html>. Located 25 errors, 4
warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 5 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:41 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb31-ab9-45289422bb340"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/mlhaar.html>
Testdatum: 2014-11-19 08:18:27.168362
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:


```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:10 CET
RepresentationInformation: /tmp/28674736 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:10 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:10 CET
RepresentationInformation: /tmp/26614830 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:10 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:10 CET
RepresentationInformation: /tmp/25895023 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:10 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
```

```
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:10 CET
RepresentationInformation: /tmp/36204833 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:10 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/mlhaar.html>. Located 21
errors, 6 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 6 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH

Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH

Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:39 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb33-fbd-45289420d2ec0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH

Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/mlhaar2.html>
Testdatum: 2014-11-19 08:18:09.567152
Standard Compliance: 83
Archivierbarkeit: 92

Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/mlhaar2-Dateien/augebu.gif>

<http://www.metatrons.net/mlhaar2-Dateien/endbu.gif>

<http://www.metatrons.net/mlhaar2-Dateien/homebu.gif>

<http://www.metatrons.net/mlhaar2-Dateien/flubu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/mlhaar2-Dateien/augebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:02 CET
RepresentationInformation: /tmp/92696492 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:02 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul

```
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/mlhaar2-Dateien/flubu.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:02 CET
RepresentationInformation: /tmp/69385676 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:02 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/mlhaar2-Dateien/homebu.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:02 CET
RepresentationInformation: /tmp/31847090 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:02 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
```

color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/mlhaar2-Dateien/endbu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:02 CET
RepresentationInformation: /tmp/11791340 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:02 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/mlhaar2.html>. Located 16
errors, 2 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 7 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 27 Sep 2011 11:00:36 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb35-1051-4adea2f708965"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m2.html>

Testdatum: 2014-11-19 08:18:35.217161

Standard Compliance: 83

Archivierbarkeit: 92

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists http://www.metatrons.net/sitemap.xml
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
 http://www.metatrons.net/homebu.gif

http://www.metatrons.net/endbu.gif

http://www.metatrons.net/flubu.gif

http://www.metatrons.net/augebu.gif

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/homebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:28 CET
RepresentationInformation: /tmp/54348935 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:27 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;


```
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:28 CET
RepresentationInformation: /tmp/81364490 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:27 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:28 CET
RepresentationInformation: /tmp/72663921 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:27 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:28 CET
RepresentationInformation: /tmp/9109147 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:27 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m2.html>. Located 24 errors, 4
warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 7 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:35 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb39-11f0-4528941d025c0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m2seil2.html>
Testdatum: 2014-11-19 08:18:53.043666
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists http://www.metatrons.net/sitemap.xml

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
 http://www.metatrons.net/homebu.gif

http://www.metatrons.net/endbu.gif

http://www.metatrons.net/flubu.gif

http://www.metatrons.net/augebu.gif

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/homebu.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:36 CET
RepresentationInformation: /tmp/4343551 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:36 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
```

```
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:36 CET
RepresentationInformation: /tmp/23499149 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:36 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:36 CET
RepresentationInformation: /tmp/23235460 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:36 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:36 CET
RepresentationInformation: /tmp/85839413 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:36 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m2seil2.html>. Located 25 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 6 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:31 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb3b-15c8-4528941931cc0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m2taub.html>
Testdatum: 2014-11-19 08:19:10.906371
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:54 CET
RepresentationInformation: /tmp/4515762 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:53 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette


```
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/flubu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:54 CET
RepresentationInformation: /tmp/99354614 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:53 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/endbu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:54 CET
RepresentationInformation: /tmp/7847611 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:53 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/augebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:18:54 CET
RepresentationInformation: /tmp/43674564 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:18:53 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
```

```
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m2taub.html>. Located 42
errors, 9 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 6 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:28 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb3d-16ff-4528941655600"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m3.html>

Testdatum: 2014-11-19 08:19:43.361548

Standard Compliance: 83

Archivierbarkeit: 92

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:36 CET
RepresentationInformation: /tmp/95895570 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:36 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:36 CET
RepresentationInformation: /tmp/28850588 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:36 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:36 CET
RepresentationInformation: /tmp/81893831 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:36 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:36 CET
RepresentationInformation: /tmp/8916066 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:36 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
```

```
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m3.html>. Located 41 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 5 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Mon, 21 Jul 2008 14:09:26 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cb3f-ced-452894146d180"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m3ha22.html>
Testdatum: 2014-11-19 08:19:18.745341
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:11 CET
RepresentationInformation: /tmp/18800031 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:11 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:


```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:12 CET
RepresentationInformation: /tmp/39012550 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:11 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:12 CET
RepresentationInformation: /tmp/2341395 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:11 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:12 CET
RepresentationInformation: /tmp/49525707 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:11 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
```

```
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m3ha22.html>. Located 15
errors, 2 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 5 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Fri, 13 Dec 2013 14:33:31 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb41-fc2-4ed6b58a8ddd6"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m3ha31.html>

Testdatum: 2014-11-19 08:19:27.163655

Standard Compliance: 83

Archivierbarkeit: 92

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:19 CET
RepresentationInformation: /tmp/32950952 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:19 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:19 CET
RepresentationInformation: /tmp/58716946 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:19 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
```

```
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:19 CET

RepresentationInformation: /tmp/16471615 ReportingModule: GIF-hul, Rel. 1.3

(2006-09-05) LastModified: 2014-11-19 08:19:19 CET Size: 418 Format: GIF

Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul

MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1

Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43

LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255

PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;

background color index meaningful GlobalColorTableSortFlag: Not ordered

GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,

153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0

ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:

Image is interlaced LocalColorTableFlag: No local color table; use global

table if available LocalColorTableSortFlag: Not ordered

LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian

CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette

color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer

</pre>

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:19 CET

RepresentationInformation: /tmp/55145893 ReportingModule: GIF-hul, Rel. 1.3

(2006-09-05) LastModified: 2014-11-19 08:19:19 CET Size: 503 Format: GIF

Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul

MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1

Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43

LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255

PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;

background color index meaningful GlobalColorTableSortFlag: Not ordered

GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,

153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0

ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:

Image is interlaced LocalColorTableFlag: No local color table; use global

table if available LocalColorTableSortFlag: Not ordered

LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian

CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette

```
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/m3ha31.html. Located 24 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 5 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Mon, 21 Jul 2008 14:09:23 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cb43-1a51-4528941190ac0"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m3haar2.html>
Testdatum: 2014-11-19 08:19:35.147210
Standard Compliance: 85
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 5, remote images found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 5 local images:
 <http://www.metatrons.net/endbu.gif>
 <http://www.metatrons.net/homebu.gif>
 <http://www.metatrons.net/nanomeiseacd.gif>
 <http://www.metatrons.net/flubu.gif>
 <http://www.metatrons.net/augebu.gif>

Titel: Checking 5 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:28 CET
RepresentationInformation: /tmp/27947469 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:27 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/nanomeiseacd.gif>
Level: 100
Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:28 CET
RepresentationInformation: /tmp/73043035 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:27 CET Size: 43119 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks:
72 Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 320
LogicalScreenHeight: 200 ColorResolution: 6 BackgroundColorIndex: 31
```


LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 0 ImageDescriptor: ImageLeftPosition: 8
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 14
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 19
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 25
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 10 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 29
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 12 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 36
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 10 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10

TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 40
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 12 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 47
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 10 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 51
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 57
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 62
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 68
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 73
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:

normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 79
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 84
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 90
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 10 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 94
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 12 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 101
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 10 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 105
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 12 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 112
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available

LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 10 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 116
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 0 ImageDescriptor: ImageLeftPosition: 122
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 127
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 133
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 138
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 144
ImageTopPosition: 90 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 11 ImageHeight: 12 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 10

TransparentColorIndex: 0 ImageDescriptor: ImageLeftPosition: 303
ImageTopPosition: 185 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 17 ImageHeight: 15 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 289
ImageTopPosition: 173 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 31 ImageHeight: 27 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 274
ImageTopPosition: 161 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 46 ImageHeight: 39 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 261
ImageTopPosition: 150 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 59 ImageHeight: 50 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 248
ImageTopPosition: 142 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 72 ImageHeight: 58 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 237
ImageTopPosition: 133 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 83 ImageHeight: 67 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 224
ImageTopPosition: 125 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 96 ImageHeight: 75 ColorSpace: palette color Orientation:

normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 9
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 214
ImageTopPosition: 119 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 106 ImageHeight: 81 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 9
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 203
ImageTopPosition: 112 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 117 ImageHeight: 88 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 9
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 194
ImageTopPosition: 104 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 126 ImageHeight: 96 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 9
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 184
ImageTopPosition: 98 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 136 ImageHeight: 102 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 9
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 175
ImageTopPosition: 91 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 145 ImageHeight: 109 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 9
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 166
ImageTopPosition: 83 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 154 ImageHeight: 117 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 9
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 156
ImageTopPosition: 77 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available

LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 164 ImageHeight: 123 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 9
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 147
ImageTopPosition: 70 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 173 ImageHeight: 130 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 8
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 137
ImageTopPosition: 62 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 183 ImageHeight: 138 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 8
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 128
ImageTopPosition: 56 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 192 ImageHeight: 144 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 8
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 118
ImageTopPosition: 49 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 202 ImageHeight: 151 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 8
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 109
ImageTopPosition: 41 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 211 ImageHeight: 159 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 8
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 99
ImageTopPosition: 35 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 221 ImageHeight: 165 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 8

TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 90
ImageTopPosition: 28 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 230 ImageHeight: 172 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 8
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 80
ImageTopPosition: 20 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 240 ImageHeight: 180 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 8
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 71
ImageTopPosition: 14 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 249 ImageHeight: 186 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:

normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 146 ImageHeight: 112 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 10
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 146 ImageHeight: 112 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available

LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12

```
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 12
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 100
TransparentColorIndex: 3 ImageDescriptor: ImageLeftPosition: 115
ImageTopPosition: 39 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 25 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index is not given DelayTime: 1
TransparentColorIndex: 0 ImageDescriptor: ImageLeftPosition: 100
ImageTopPosition: 23 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 39 ImageHeight: 29 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:28 CET
RepresentationInformation: /tmp/55559719 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:27 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:28 CET
RepresentationInformation: /tmp/67363240 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:27 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/augebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:28 CET
RepresentationInformation: /tmp/55928898 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:28 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m3haar2.html>. Located 27
errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 7 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:22 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb45-119b-452894109c880"
HTTP caching

headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m3stri.html>
Testdatum: 2014-11-19 08:19:51.295287
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:44 CET
RepresentationInformation: /tmp/37087559 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:44 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:44 CET
RepresentationInformation: /tmp/98378570 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:44 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:44 CET
RepresentationInformation: /tmp/24284724 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:44 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:44 CET
RepresentationInformation: /tmp/84935869 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:44 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m3stri.html>. Located 24 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility

to be preserved correctly

Titel: 5 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:20 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb47-e7d-4528940eb4400"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m4.html>

Testdatum: 2014-11-19 08:19:59.222559

Standard Compliance: 83

Archivierbarkeit: 92

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
<http://www.metatrons.net/homebu.gif>
<http://www.metatrons.net/endbu.gif>
<http://www.metatrons.net/flubu.gif>
<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:52 CET
RepresentationInformation: /tmp/57218282 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:52 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:52 CET
RepresentationInformation: /tmp/15803658 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:52 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/endbu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:52 CET
RepresentationInformation: /tmp/65925255 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:52 CET Size: 418 Format: GIF

```
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/augebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:19:52 CET
RepresentationInformation: /tmp/45624765 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:52 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.
```

```
-----
Titel: Invalid HTML http://www.metatrons.net/m4.html. Located 25 errors, 4
warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly
```

```
-----
Titel: 6 valid links identified.
```

Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:17 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb49-d77-4528940bd7d40"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m4str.html>
Testdatum: 2014-11-19 08:20:07.062747
Standard Compliance: 85
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 5, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 5 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/baum.JPG.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 5 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:00 CET
RepresentationInformation: /tmp/12982087 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:59 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/baum.JPG.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:00 CET
RepresentationInformation: /tmp/1034217 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:59 CET Size: 18947 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 436
LogicalScreenHeight: 680 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 192, 192, 192, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 436 ImageHeight: 680 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:00 CET
RepresentationInformation: /tmp/52238094 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:59 CET Size: 495 Format: GIF


```
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:00 CET
RepresentationInformation: /tmp/7160365 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:19:59 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:00 CET
RepresentationInformation: /tmp/57573808 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:00 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
```

CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/m4str.html. Located 25 errors,
4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 4 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Mon, 21 Jul 2008 14:09:16 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cb4b-c33-4528940ae3b00"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m5.html>
Testdatum: 2014-11-19 08:20:15.966277
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:09 CET
RepresentationInformation: /tmp/2702101 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:08 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:09 CET
RepresentationInformation: /tmp/91376777 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:08 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
```

```
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:09 CET
RepresentationInformation: /tmp/32820235 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:08 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:09 CET
RepresentationInformation: /tmp/89378621 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:08 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/m5.html. Located 25 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 5 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:15 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb4d-cb7-45289409ef8c0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m5stri.html>

Testdatum: 2014-11-19 08:20:23.793031

Standard Compliance: 83

Archivierbarkeit: 92

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
 http://www.metatrons.net/homebu.gif
 http://www.metatrons.net/endbu.gif
 http://www.metatrons.net/flubu.gif
 http://www.metatrons.net/augebu.gif

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/homebu.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:17 CET
RepresentationInformation: /tmp/29442519 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:16 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: http://www.metatrons.net/flubu.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:16 CET
RepresentationInformation: /tmp/19394315 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:16 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0

```



```
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:16 CET
RepresentationInformation: /tmp/95441942 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:16 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:17 CET
RepresentationInformation: /tmp/8853991 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:16 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/m5stri.html. Located 24
errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 5 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Mon, 21 Jul 2008 14:09:15 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cb4f-108e-45289409ef8c0"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m6.html>
Testdatum: 2014-11-19 08:20:31.963569
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What

is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of
a digital object to the specification for its purported format, e.g.: I
have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:24 CET
RepresentationInformation: /tmp/63802920 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:24 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:24 CET
RepresentationInformation: /tmp/13746491 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:24 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
```

```
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/endbu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:24 CET
RepresentationInformation: /tmp/76312900 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:24 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/augebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:24 CET
RepresentationInformation: /tmp/35662649 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:24 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.
```

Titel: Invalid HTML http://www.metatrons.net/m6.html. Located 24 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 5 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:14 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb51-df3-45289408fb680"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m6stri.html>

Testdatum: 2014-11-19 08:20:39.909576

Standard Compliance: 83

Archivierbarkeit: 92

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
 <http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:32 CET
RepresentationInformation: /tmp/41699085 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:32 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:32 CET
RepresentationInformation: /tmp/38895314 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:32 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/endbu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:33 CET
RepresentationInformation: /tmp/14988987 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:32 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/augebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:32 CET
RepresentationInformation: /tmp/80804629 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:32 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m6stri.html>. Located 25
errors, 4 warnings.

Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 5 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:12 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb53-e17-4528940713200"
HTTP caching

headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m6tau.html>
Testdatum: 2014-11-19 08:20:47.797664
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:41 CET
RepresentationInformation: /tmp/84483351 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:40 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:41 CET
RepresentationInformation: /tmp/36576986 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:40 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:41 CET
RepresentationInformation: /tmp/10738283 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:40 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>
Level: 100
Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:40 CET
RepresentationInformation: /tmp/30516980 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:40 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m6tau.html>. Located 23 errors,
4 warnings.
Level: 0
Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility

to be preserved correctly

Titel: 6 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:11 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb55-ee1-452894061efc0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m7.html>

Testdatum: 2014-11-19 08:20:55.635619

Standard Compliance: 83

Archivierbarkeit: 92

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
<http://www.metatrons.net/homebu.gif>
<http://www.metatrons.net/endbu.gif>
<http://www.metatrons.net/flubu.gif>
<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:48 CET
RepresentationInformation: /tmp/14272122 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:48 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:48 CET
RepresentationInformation: /tmp/65627408 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:48 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/endbu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:48 CET
RepresentationInformation: /tmp/22208778 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:48 CET Size: 418 Format: GIF


```
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/augebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:48 CET
RepresentationInformation: /tmp/98249323 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:48 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.
```

```
-----
Titel: Invalid HTML http://www.metatrons.net/m7.html. Located 25 errors, 4
warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly
```

```
-----
Titel: 5 valid links identified.
```

Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:09 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb57-c59-4528940436b40"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m7tau.html>
Testdatum: 2014-11-19 08:21:03.872382
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:56 CET
RepresentationInformation: /tmp/30469187 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:56 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:56 CET
RepresentationInformation: /tmp/33642208 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:56 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/endbu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:56 CET
RepresentationInformation: /tmp/94117381 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:20:56 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255

```
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;  
background color index meaningful GlobalColorTableSortFlag: Not ordered  
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,  
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0  
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:  
Image is interlaced LocalColorTableFlag: No local color table; use global  
table if available LocalColorTableSortFlag: Not ordered  
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian  
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette  
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer  
</pre>
```

```
-----  
Titel: Image checked: http://www.metatrons.net/augebu.gif  
Level: 100  
Gewichtung: MEDIUM  
Beschreibung:  
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:20:56 CET  
RepresentationInformation: /tmp/4065990 ReportingModule: GIF-hul, Rel. 1.3  
(2006-09-05) LastModified: 2014-11-19 08:20:56 CET Size: 503 Format: GIF  
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul  
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1  
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43  
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255  
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;  
background color index meaningful GlobalColorTableSortFlag: Not ordered  
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,  
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0  
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:  
Image is interlaced LocalColorTableFlag: No local color table; use global  
table if available LocalColorTableSortFlag: Not ordered  
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian  
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette  
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer  
</pre>
```

```
-----  
Titel: You are not using any external proprietary objects (Flash,  
Quicktime)  
Level: 100  
Gewichtung: HIGH  
Beschreibung:  
Proprietary formats are not recommended for , long term preservation.  
Please consider changing , your content to open formats.
```

```
-----  
Titel: Invalid HTML http://www.metatrons.net/m7tau.html. Located 24 errors,  
4 warnings.  
Level: 0  
Gewichtung: HIGH  
Beschreibung:  
Web pages which do not conform with Web Standards have a lower possibility  
to be preserved correctly
```

```
-----  
Titel: 6 valid links identified.  
Level: 100  
Gewichtung: HIGH  
Beschreibung:  
No invalid links found.
```

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:08 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb59-14a2-4528940342900"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m8.html>
Testdatum: 2014-11-19 08:21:12.052212
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:04 CET
RepresentationInformation: /tmp/78306849 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:04 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:04 CET
RepresentationInformation: /tmp/12913956 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:04 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:04 CET
RepresentationInformation: /tmp/56431497 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:04 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```



```
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:04 CET
RepresentationInformation: /tmp/41425398 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:04 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m8.html>. Located 29 errors, 4
warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 5 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:06 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb5b-c69-452894015a480"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/m9.html>
Testdatum: 2014-11-19 08:21:20.198076
Standard Compliance: 83

Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists http://www.metatrons.net/sitemap.xml
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
 http://www.metatrons.net/homebu.gif

http://www.metatrons.net/endbu.gif

http://www.metatrons.net/flubu.gif

http://www.metatrons.net/augebu.gif

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/homebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:13 CET
RepresentationInformation: /tmp/43568901 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:12 CET Size: 495 Format: GIF

```
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:13 CET
RepresentationInformation: /tmp/9103600 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:12 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>
Level: 100
Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:13 CET
RepresentationInformation: /tmp/92845404 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:12 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
```

```
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:13 CET
RepresentationInformation: /tmp/18049012 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:12 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/m9.html>. Located 26 errors, 4
warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 5 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH

Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:05 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb5d-c22-4528940066240"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH

Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/manf.html>
Testdatum: 2014-11-19 08:21:28.488399
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists http://www.metatrons.net/sitemap.xml
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
 http://www.metatrons.net/homebu.gif

http://www.metatrons.net/endbu.gif

http://www.metatrons.net/flubu.gif

http://www.metatrons.net/augebu.gif

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/homebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:21 CET
RepresentationInformation: /tmp/71303967 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:20 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255

```
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:21 CET
RepresentationInformation: /tmp/50316349 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:20 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:21 CET
RepresentationInformation: /tmp/52123804 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:20 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:21 CET
RepresentationInformation: /tmp/20095702 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:20 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/manf.html>. Located 26 errors,
4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 6 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:09:03 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb61-126b-452893fe7ddc0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/maria.html>

Testdatum: 2014-11-19 08:21:36.344956

Standard Compliance: 78

Archivierbarkeit: 91

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/maria.GIF>

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/maria.GIF>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:29 CET
RepresentationInformation: /tmp/36872215 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:29 CET Size: 8393 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 295
LogicalScreenHeight: 425 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 255, 255, 255, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
```

CompressionScheme: LZW ImageWidth: 295 ImageHeight: 425 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/maria.html. Located 11 errors,
4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Mon, 21 Jul 2008 14:09:00 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cb64-280-452893fba1700"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/marian.html>
Testdatum: 2014-11-19 08:21:44.687339
Standard Compliance: 83
Archivierbarkeit: 91
Accessibility: 82
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:37 CET
RepresentationInformation: /tmp/37894207 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:37 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:37 CET
RepresentationInformation: /tmp/69285586 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:37 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
```

```
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:37 CET
RepresentationInformation: /tmp/75065062 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:37 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:37 CET
RepresentationInformation: /tmp/97231711 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:37 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/marian.html>. Located 24 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: There are 6 valid and 1 invalid links.
Level: 85
Gewichtung: HIGH
Beschreibung:
Invalid links prevent web bots from accessing the full content , in order to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,
Invalid links:
 , <http://www.britischebotschaft.de>
 , Valid links:
 , <http://www.metatrons.net/wurmsch.html>
<http://www.metatrons.net/manf.html>
<http://www.metatrons.net/meins.html>
<http://www.metatrons.net/schalter.html>
<http://www.metatrons.net/distend.html>
<http://www.metatrons.net/inhalt.html>

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Mon, 21 Jul 2008 14:09:00 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cb65-177b-452893fba1700"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/marmor.html>
Testdatum: 2014-11-19 08:22:02.880929
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:45 CET
RepresentationInformation: /tmp/20889258 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:45 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:45 CET
RepresentationInformation: /tmp/12046270 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:45 CET Size: 495 Format: GIF
```

```
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/endbu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:45 CET
RepresentationInformation: /tmp/40710418 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:45 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/augebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:21:45 CET
RepresentationInformation: /tmp/56830710 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:21:45 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
```

CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/marmor.html. Located 32
errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 7 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Mon, 21 Jul 2008 14:08:57 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cb67-11eb-452893f8c5040"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/mAT.html>
Testdatum: 2014-11-19 08:22:11.114811
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:04 CET
RepresentationInformation: /tmp/99273324 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:03 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:03 CET
RepresentationInformation: /tmp/18390364 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:03 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
```

```
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:04 CET
RepresentationInformation: /tmp/56161311 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:03 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:03 CET
RepresentationInformation: /tmp/52431558 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:03 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/mAT.html. Located 24 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 7 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:56 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb5f-10e3-452893f7d0e00"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/mdrei1.html>

Testdatum: 2014-11-19 08:22:19.303235

Standard Compliance: 83

Archivierbarkeit: 92

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
 http://www.metatrons.net/homebu.gif
 http://www.metatrons.net/endbu.gif
 http://www.metatrons.net/flubu.gif
 http://www.metatrons.net/augebu.gif

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/homebu.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:12 CET
RepresentationInformation: /tmp/58845421 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:11 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: http://www.metatrons.net/flubu.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:12 CET
RepresentationInformation: /tmp/18644534 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:11 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
```

```
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:12 CET
RepresentationInformation: /tmp/27801794 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:11 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:12 CET
RepresentationInformation: /tmp/15909278 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:11 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/mdreil.html. Located 23
errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 5 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Mon, 21 Jul 2008 14:08:54 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cb69-1833-452893f5e8980"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/mdrei2.html>
Testdatum: 2014-11-19 08:22:27.702460
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What

is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of
a digital object to the specification for its purported format, e.g.: I
have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:20 CET
RepresentationInformation: /tmp/6013783 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:20 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:20 CET
RepresentationInformation: /tmp/51995619 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:20 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
```

```
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/endbu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:20 CET
RepresentationInformation: /tmp/79131342 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:20 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/augebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:20 CET
RepresentationInformation: /tmp/91745363 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:20 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.
```

Titel: Invalid HTML <http://www.metatrons.net/mdrei2.html>. Located 21 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 5 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:52 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb6b-139e-452893f400500"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/mdrei3.html>

Testdatum: 2014-11-19 08:22:45.671580

Standard Compliance: 83

Archivierbarkeit: 92

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
<http://www.metatrons.net/homebu.gif>
<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:28 CET
RepresentationInformation: /tmp/20983562 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:28 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:28 CET
RepresentationInformation: /tmp/29943339 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:28 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/endbu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:28 CET
RepresentationInformation: /tmp/89557754 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:28 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/augebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:28 CET
RepresentationInformation: /tmp/77834293 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:28 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/mdrei3.html>. Located 21
errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 15 Apr 2014 10:18:54 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb6d-e07-4f7122086b092"
HTTP caching

headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/meins.html>
Testdatum: 2014-11-19 08:23:00.436189
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:53 CET
RepresentationInformation: /tmp/82341513 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:52 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:53 CET
RepresentationInformation: /tmp/32179074 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:52 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:53 CET
RepresentationInformation: /tmp/19212781 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:52 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:22:53 CET
RepresentationInformation: /tmp/77425214 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:22:52 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/meins.html>. Located 22 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility

to be preserved correctly

Titel: 5 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Wed, 04 Sep 2013 20:06:02 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb6f-17c5-4e59455b862ec"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/mfehl.html>

Testdatum: 2014-11-19 08:23:18.586707

Standard Compliance: 83

Archivierbarkeit: 92

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
<http://www.metatrons.net/homebu.gif>
<http://www.metatrons.net/endbu.gif>
<http://www.metatrons.net/flubu.gif>
<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:23:01 CET
RepresentationInformation: /tmp/35150825 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:23:01 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:23:01 CET
RepresentationInformation: /tmp/56253896 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:23:01 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/endbu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:23:01 CET
RepresentationInformation: /tmp/18909740 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:23:01 CET Size: 418 Format: GIF

```
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:23:01 CET
RepresentationInformation: /tmp/33032885 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:23:01 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/mfehl.html>. Located 27 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 7 valid links identified.

Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 03 Apr 2014 14:37:30 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb72-133e-4f6245743c212"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/mgold.html>
Testdatum: 2014-11-19 08:23:36.777306
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:23:19 CET
RepresentationInformation: /tmp/68268661 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:23:19 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:23:19 CET
RepresentationInformation: /tmp/73613430 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:23:19 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/endbu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:23:19 CET
RepresentationInformation: /tmp/5729109 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:23:19 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255

```
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;  
background color index meaningful GlobalColorTableSortFlag: Not ordered  
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,  
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0  
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:  
Image is interlaced LocalColorTableFlag: No local color table; use global  
table if available LocalColorTableSortFlag: Not ordered  
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian  
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette  
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer  
</pre>
```

```
-----  
Titel: Image checked: http://www.metatrons.net/augebu.gif  
Level: 100  
Gewichtung: MEDIUM  
Beschreibung:  
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:23:19 CET  
RepresentationInformation: /tmp/95561993 ReportingModule: GIF-hul, Rel. 1.3  
(2006-09-05) LastModified: 2014-11-19 08:23:19 CET Size: 503 Format: GIF  
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul  
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1  
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43  
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255  
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;  
background color index meaningful GlobalColorTableSortFlag: Not ordered  
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,  
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0  
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:  
Image is interlaced LocalColorTableFlag: No local color table; use global  
table if available LocalColorTableSortFlag: Not ordered  
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian  
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette  
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer  
</pre>
```

```
-----  
Titel: You are not using any external proprietary objects (Flash,  
Quicktime)  
Level: 100  
Gewichtung: HIGH  
Beschreibung:  
Proprietary formats are not recommended for , long term preservation.  
Please consider changing , your content to open formats.
```

```
-----  
Titel: Invalid HTML http://www.metatrons.net/mgold.html. Located 33 errors,  
4 warnings.  
Level: 0  
Gewichtung: HIGH  
Beschreibung:  
Web pages which do not conform with Web Standards have a lower possibility  
to be preserved correctly
```

```
-----  
Titel: 5 valid links identified.  
Level: 100  
Gewichtung: HIGH  
Beschreibung:  
No invalid links found.
```

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:46 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb74-ffb-452893ee47780"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/michel.html>
Testdatum: 2014-11-19 08:23:44.936015
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/mickuppel.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/mickuppel.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:23:37 CET
RepresentationInformation: /tmp/34222238 ReportingModule: GIF-hul, Rel. 1.3

```
(2006-09-05) LastModified: 2014-11-19 08:23:37 CET Size: 11330 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 262
LogicalScreenHeight: 229 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 192, 192, 192, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 262 ImageHeight: 229 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/michel.html>. Located 12
errors, 5 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available

in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:43 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb77-359-452893eb6b0c0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/michla.html>
Testdatum: 2014-11-19 08:24:00.574542
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/michel.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/michel.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:23:53 CET
RepresentationInformation: /tmp/55384500 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:23:53 CET Size: 33198 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 307
LogicalScreenHeight: 425 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 192, 192, 192, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 5 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
```

```
ImageWidth: 307 ImageHeight: 425 ColorSpace: palette color Orientation:  
normal BitsPerSample: 8 BitsPerSampleUnit: integer  
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/michla.html. Located 11
errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Mon, 21 Jul 2008 14:08:42 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cb78-221-452893ea76e80"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/michlag.html>
Testdatum: 2014-11-19 08:23:52.772578
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.metatrons.net/michel.gif

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/michel.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:23:45 CET
RepresentationInformation: /tmp/16764600 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:23:45 CET Size: 33198 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 307
LogicalScreenHeight: 425 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 192, 192, 192, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 5 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 307 ImageHeight: 425 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/michlag.html. Located 11 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 2 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:42 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb79-32a-452893ea76e80"
HTTP caching

headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/morph.html>
Testdatum: 2014-11-19 08:24:08.574057
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/morphi2.GIF>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/morphi2.GIF>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:01 CET
RepresentationInformation: /tmp/39852461 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:01 CET Size: 5421 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 426
LogicalScreenHeight: 327 ColorResolution: 3 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 192, 192, 192, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 426 ImageHeight: 327 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/morph.html>. Located 13 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100

Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:41 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb7b-249-452893e982c40"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/mrot.html>
Testdatum: 2014-11-19 08:24:17.273724
Standard Compliance: 83

Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:09 CET
RepresentationInformation: /tmp/50861239 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:09 CET Size: 495 Format: GIF

```
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:09 CET
RepresentationInformation: /tmp/32504357 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:09 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:09 CET
RepresentationInformation: /tmp/49901932 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:09 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
```

```
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:09 CET
RepresentationInformation: /tmp/3284766 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:09 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/mrot.html>. Located 24 errors,
4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 5 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH

Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:40 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb7d-f01-452893e88ea00"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH

Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/mschw.html>
Testdatum: 2014-11-19 08:24:25.478662
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists http://www.metatrons.net/sitemap.xml
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
 http://www.metatrons.net/homebu.gif

http://www.metatrons.net/endbu.gif

http://www.metatrons.net/flubu.gif

http://www.metatrons.net/augebu.gif

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/homebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:18 CET
RepresentationInformation: /tmp/60665480 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:17 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255


```
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;  
background color index meaningful GlobalColorTableSortFlag: Not ordered  
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,  
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0  
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:  
Image is interlaced LocalColorTableFlag: No local color table; use global  
table if available LocalColorTableSortFlag: Not ordered  
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian  
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette  
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer  
</pre>
```

```
-----  
Titel: Image checked: http://www.metatrons.net/flubu.gif  
Level: 100  
Gewichtung: MEDIUM  
Beschreibung:  
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:18 CET  
RepresentationInformation: /tmp/16433789 ReportingModule: GIF-hul, Rel. 1.3  
(2006-09-05) LastModified: 2014-11-19 08:24:17 CET Size: 495 Format: GIF  
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul  
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1  
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43  
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255  
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;  
background color index meaningful GlobalColorTableSortFlag: Not ordered  
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,  
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0  
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:  
Image is interlaced LocalColorTableFlag: No local color table; use global  
table if available LocalColorTableSortFlag: Not ordered  
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian  
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette  
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer  
</pre>
```

```
-----  
Titel: Image checked: http://www.metatrons.net/endbu.gif  
Level: 100  
Gewichtung: MEDIUM  
Beschreibung:  
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:18 CET  
RepresentationInformation: /tmp/87720633 ReportingModule: GIF-hul, Rel. 1.3  
(2006-09-05) LastModified: 2014-11-19 08:24:17 CET Size: 418 Format: GIF  
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul  
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1  
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 43  
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255  
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;  
background color index meaningful GlobalColorTableSortFlag: Not ordered  
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,  
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0  
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:  
Image is interlaced LocalColorTableFlag: No local color table; use global  
table if available LocalColorTableSortFlag: Not ordered  
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian  
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette  
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer  
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:18 CET
RepresentationInformation: /tmp/74745071 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:17 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/mschw.html>. Located 26 errors,
4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 6 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:39 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cb7f-e5f-452893e79a7c0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/mseil2.html>

Testdatum: 2014-11-19 08:24:33.320059

Standard Compliance: 83

Archivierbarkeit: 92

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists http://www.metatrons.net/sitemap.xml

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
 http://www.metatrons.net/homebu.gif

http://www.metatrons.net/endbu.gif

http://www.metatrons.net/flubu.gif

http://www.metatrons.net/augebu.gif

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.metatrons.net/homebu.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:26 CET  
RepresentationInformation: /tmp/14293261 ReportingModule: GIF-hul, Rel. 1.3  
(2006-09-05) LastModified: 2014-11-19 08:24:26 CET Size: 495 Format: GIF  
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul  
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1  
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43  
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255  
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;  
background color index meaningful GlobalColorTableSortFlag: Not ordered  
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,  
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
```

```
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:26 CET
RepresentationInformation: /tmp/96423416 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:26 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:26 CET
RepresentationInformation: /tmp/61188731 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:26 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:26 CET
RepresentationInformation: /tmp/87515407 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:26 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFmetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/mseil2.html>. Located 23 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 6 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available

in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:37 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cba1-be8-452893e5b2340"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/mzwei.html>
Testdatum: 2014-11-19 08:24:58.797608
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:51 CET
RepresentationInformation: /tmp/14016311 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:51 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian


```
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/flubu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:51 CET
RepresentationInformation: /tmp/47535656 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:51 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/endbu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:51 CET
RepresentationInformation: /tmp/17682048 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:51 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://www.metatrons.net/augebu.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:51 CET
RepresentationInformation: /tmp/66200896 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:51 CET Size: 503 Format: GIF
```

```
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/mzwei.html>. Located 24 errors,
4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 6 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:35 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cba3-18d1-452893e3c9ec0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/mzwei2.html>
Testdatum: 2014-11-19 08:24:50.945829
Standard Compliance: 67
Archivierbarkeit: 88
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/mzwei2-Dateien/augebu.gif>

<http://www.metatrons.net/mzwei2-Dateien/homebu.gif>

<http://www.metatrons.net/mzwei2-Dateien/endbu.gif>

<http://www.metatrons.net/mzwei2-Dateien/flubu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/mzwei2-Dateien/augebu.gif>

Level: 50

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:34 CET
RepresentationInformation: /tmp/790307 ReportingModule: HTML-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:34 CET Size: 2718 Format: HTML
Status: Well-Formed, but not valid SignatureMatches: XML-hul ErrorMessage:
Unrecognized or missing DOCTYPE declaration; validation continuing as HTML
3.2 ErrorMessage: Undefined attribute for element: Name = div, Attribute =
id, Line = 30, Column = 6 ErrorMessage: Undefined attribute for element:
Name = div, Attribute = style, Line = 30, Column = 21 ErrorMessage:
Undefined attribute for element: Name = div, Attribute = id, Line = 31,
Column = 6 ErrorMessage: Undefined attribute for element: Name = div,
Attribute = style, Line = 31, Column = 19 ErrorMessage: Undefined attribute
for element: Name = script, Attribute = language, Line = 33, Column = 9
ErrorMessage: Undefined attribute for element: Name = table, Attribute =
height, Line = 92, Column = 34 ErrorMessage: Undefined attribute for
element: Name = img, Attribute = title, Line = 94, Column = 281 MIMEtype:
text/html HTMLMetadata: Title: mist, s geht ned! MetaTags: Meta: Httpequiv:
Content-Type Content: text/html; charset=iso-8859-1 Meta: Name: robots
Content: index Meta: Httpequiv: expires Content: 0 Meta: Name: author
Content: kyon Meta: Name: description Content: kyon: ich denk ich bin ein
```

```
reh,wenn ich den tegernsee! Links: javascript:var NewWin = window.open
('index.html','index','scrollbars=auto,resizable=no,copyhistory=no,width=80
0,height=600,top=100,left=100'); Images: Image: Src: gear_blau.gif Height:
100 Width: 174
</pre>
```

Titel: Image checked: <http://www.metatrons.net/mzwei2-Dateien/homebu.gif>
Level: 50

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:34 CET
RepresentationInformation: /tmp/11916689 ReportingModule: HTML-hul, Rel.
1.3 (2006-09-05) LastModified: 2014-11-19 08:24:34 CET Size: 2718 Format:
HTML Status: Well-Formed, but not valid SignatureMatches: XML-hul
ErrorMessage: Unrecognized or missing DOCTYPE declaration; validation
continuing as HTML 3.2 ErrorMessage: Undefined attribute for element: Name
= div, Attribute = id, Line = 30, Column = 6 ErrorMessage: Undefined
attribute for element: Name = div, Attribute = style, Line = 30, Column =
21 ErrorMessage: Undefined attribute for element: Name = div, Attribute =
id, Line = 31, Column = 6 ErrorMessage: Undefined attribute for element:
Name = div, Attribute = style, Line = 31, Column = 19 ErrorMessage:
Undefined attribute for element: Name = script, Attribute = language, Line
= 33, Column = 9 ErrorMessage: Undefined attribute for element: Name =
table, Attribute = height, Line = 92, Column = 34 ErrorMessage: Undefined
attribute for element: Name = img, Attribute = title, Line = 94, Column =
281 MIMETYPE: text/html HTMLMetadata: Title: mist, s geht ned! MetaTags:
Meta: Httpequiv: Content-Type Content: text/html; charset=iso-8859-1 Meta:
Name: robots Content: index Meta: Httpequiv: expires Content: 0 Meta: Name:
author Content: kyon Meta: Name: description Content: kyon: ich denk ich
bin ein reh,wenn ich den tegernsee! Links: javascript:var NewWin =
window.open
('index.html','index','scrollbars=auto,resizable=no,copyhistory=no,width=80
0,height=600,top=100,left=100'); Images: Image: Src: gear_blau.gif Height:
100 Width: 174
</pre>
```

Titel: Image checked: <http://www.metatrons.net/mzwei2-Dateien/flubu.gif>
Level: 50

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:34 CET
RepresentationInformation: /tmp/92348042 ReportingModule: HTML-hul, Rel.
1.3 (2006-09-05) LastModified: 2014-11-19 08:24:34 CET Size: 2718 Format:
HTML Status: Well-Formed, but not valid SignatureMatches: XML-hul
ErrorMessage: Unrecognized or missing DOCTYPE declaration; validation
continuing as HTML 3.2 ErrorMessage: Undefined attribute for element: Name
= div, Attribute = id, Line = 30, Column = 6 ErrorMessage: Undefined
attribute for element: Name = div, Attribute = style, Line = 30, Column =
21 ErrorMessage: Undefined attribute for element: Name = div, Attribute =
id, Line = 31, Column = 6 ErrorMessage: Undefined attribute for element:
Name = div, Attribute = style, Line = 31, Column = 19 ErrorMessage:
Undefined attribute for element: Name = script, Attribute = language, Line
= 33, Column = 9 ErrorMessage: Undefined attribute for element: Name =
table, Attribute = height, Line = 92, Column = 34 ErrorMessage: Undefined
attribute for element: Name = img, Attribute = title, Line = 94, Column =
281 MIMETYPE: text/html HTMLMetadata: Title: mist, s geht ned! MetaTags:
Meta: Httpequiv: Content-Type Content: text/html; charset=iso-8859-1 Meta:
Name: robots Content: index Meta: Httpequiv: expires Content: 0 Meta: Name:
```

```
author Content: kyon Meta: Name: description Content: kyon: ich denk ich
bin ein reh,wenn ich den tegernsee! Links: javascript:var NewWin =
window.open
('index.html','index','scrollbars=auto,resizable=no,copyhistory=no,width=80
0,height=600,top=100,left=100'); Images: Image: Src: gear_blau.gif Height:
100 Width: 174
</pre>
```

Titel: Image checked: <http://www.metatrons.net/mzwei2-Dateien/endbu.gif>
Level: 50

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:24:34 CET
RepresentationInformation: /tmp/3166009 ReportingModule: HTML-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:34 CET Size: 2718 Format: HTML
Status: Well-Formed, but not valid SignatureMatches: XML-hul ErrorMessage:
Unrecognized or missing DOCTYPE declaration; validation continuing as HTML
3.2 ErrorMessage: Undefined attribute for element: Name = div, Attribute =
id, Line = 30, Column = 6 ErrorMessage: Undefined attribute for element:
Name = div, Attribute = style, Line = 30, Column = 21 ErrorMessage:
Undefined attribute for element: Name = div, Attribute = id, Line = 31,
Column = 6 ErrorMessage: Undefined attribute for element: Name = div,
Attribute = style, Line = 31, Column = 19 ErrorMessage: Undefined attribute
for element: Name = script, Attribute = language, Line = 33, Column = 9
ErrorMessage: Undefined attribute for element: Name = table, Attribute =
height, Line = 92, Column = 34 ErrorMessage: Undefined attribute for
element: Name = img, Attribute = title, Line = 94, Column = 281 MIMEtype:
text/html HTMLMetadata: Title: mist, s geht ned! MetaTags: Meta: Httpequiv:
Content-Type Content: text/html; charset=iso-8859-1 Meta: Name: robots
Content: index Meta: Httpequiv: expires Content: 0 Meta: Name: author
Content: kyon Meta: Name: description Content: kyon: ich denk ich bin ein
reh,wenn ich den tegernsee! Links: javascript:var NewWin = window.open
('index.html','index','scrollbars=auto,resizable=no,copyhistory=no,width=80
0,height=600,top=100,left=100'); Images: Image: Src: gear_blau.gif Height:
100 Width: 174
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/mzwei2.html>. Located 16
errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 4 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:33 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cba5-133e-452893e1e1a40"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is

200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/press.html>
Testdatum: 2014-11-19 08:25:06.827802
Standard Compliance: 83
Archivierbarkeit: 92
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://www.metatrons.net/homebu.gif>

<http://www.metatrons.net/endbu.gif>

<http://www.metatrons.net/flubu.gif>

<http://www.metatrons.net/augebu.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/homebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:25:00 CET
RepresentationInformation: /tmp/64800799 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:59 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/flubu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:25:00 CET
RepresentationInformation: /tmp/23566361 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:59 CET Size: 495 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/endbu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:25:00 CET
RepresentationInformation: /tmp/82766338 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:59 CET Size: 418 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 44 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
```

```
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 44 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/augebu.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:25:00 CET
RepresentationInformation: /tmp/94127419 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:24:59 CET Size: 503 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 43
LogicalScreenHeight: 43 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 43 ImageHeight: 43 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/press.html>. Located 32 errors,
4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 3 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:28 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cba9-1150-452893dd1cf00"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/robots.txt>

Testdatum: 2014-11-19 08:25:08.189219
Standard Compliance: 75
Archivierbarkeit: 89
Accessibility: 82
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: No images found in this page.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Therefore, it is easier to be archived.

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/robots.txt>. Located errors, warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH

Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH

Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 20 Mar 2014 17:29:39 GMT
HTTP Etag was clearly defined in HTTP headers: "836c5506-18-4f50d1d30bb85"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH

Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/schalter.html>
Testdatum: 2014-11-19 08:25:15.826797
Standard Compliance: 78
Archivierbarkeit: 91

Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/metatron.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/metatron.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:25:09 CET
RepresentationInformation: /tmp/17671346 ReportingModule: GIF-hul, Rel. 1.3 (2006-09-05) LastModified: 2014-11-19 08:25:08 CET Size: 453 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 249
LogicalScreenHeight: 347 ColorResolution: 1 BackgroundColorIndex: 255

```
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;  
background color index meaningful GlobalColorTableSortFlag: Not ordered  
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 0, 0, 0  
GraphicControlExtension: DisposalMethod: No disposal specified  
UserInputFlag: User input not expected TransparencyFlag: Transparent index  
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:  
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced  
LocalColorTableFlag: No local color table; use global table if available  
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0  
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW  
ImageWidth: 249 ImageHeight: 347 ColorSpace: palette color Orientation:  
normal BitsPerSample: 8 BitsPerSampleUnit: integer  
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/schalter.html>. Located 9
errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 25 Mar 2014 08:44:46 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cbac-32c-4f56a5d404e01"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/schiff.html>

Testdatum: 2014-11-19 08:25:23.639344

Standard Compliance: 78

Archivierbarkeit: 91

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/sch.JPG>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/sch.JPG>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:25:16 CET
RepresentationInformation: /tmp/84368989 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-19 08:25:16 CET Size: 22065 Format: JPEG Version: 1.02 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Progressive DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder: big_endian CompressionScheme: JPEG ImageWidth: 425 ImageHeight: 301 ColorSpace: YCbCr SamplingFrequencyUnit: inch XSamplingFrequency: 72 YSamplingFrequency: 72 BitsPerSample: 8 BitsPerSampleUnit: integer SamplesPerPixel: 1 Scans: 3 QuantizationTables: QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: File written by Adobe Photoshop 4.0 ApplicationSegments: APP0, APP13, APP14
</pre>

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/schiff.html>. Located 11 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined

in HTTP headers: Mon, 21 Jul 2008 14:08:18 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cbad-20f-452893d393880"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/spiegel.html>
Testdatum: 2014-11-19 08:25:31.374135
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
<http://www.metatrons.net/SPIEGEL.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment

Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/spiegel.html. Located 10 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:15 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cbae-22f-452893d0b71c0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/trepp.html>

Testdatum: 2014-11-19 08:25:39.714052

Standard Compliance: 78

Archivierbarkeit: 91

Accessibility: 85

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/TREPPEGREY.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/TREPPEGREY.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:25:32 CET
RepresentationInformation: /tmp/37170580 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:25:31 CET Size: 16906 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 217
LogicalScreenHeight: 425 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 255, 255, 255, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag:
Image is interlaced LocalColorTableFlag: No local color table; use global
table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 217 ImageHeight: 425 ColorSpace: palette
color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/trepp.html>. Located 10 errors,
4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 1 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:14 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cbb0-211-452893cfc2f80"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/viren.html>

Testdatum: 2014-11-19 08:25:47.458164
Standard Compliance: 78
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 <http://www.metatrons.net/viren.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/viren.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:25:40 CET
RepresentationInformation: /tmp/76950740 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:25:40 CET Size: 17262 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul

```
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 454
LogicalScreenHeight: 283 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 192, 192, 192, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 454 ImageHeight: 283 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/viren.html>. Located 10 errors,
4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Mon, 21 Jul 2008 14:08:10 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cbb2-206-452893cbf2680"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/wurmblau.html>
Testdatum: 2014-11-19 08:25:55.451949
Standard Compliance: 80
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>

Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 2, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 2 local images:
 <http://www.metatrons.net/xsymb07.gif>
 <http://www.metatrons.net/Wurm.eps.gif>

Titel: Checking 2 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/Wurm.eps.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:25:48 CET
RepresentationInformation: /tmp/84033354 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:25:48 CET Size: 14005 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 305
LogicalScreenHeight: 495 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 192, 192, 192, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 305 ImageHeight: 495 ColorSpace: palette color Orientation:
```

normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: <http://www.metatrons.net/xsymb07.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:25:48 CET
RepresentationInformation: /tmp/91907926 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:25:48 CET Size: 207 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 32
LogicalScreenHeight: 32 ColorResolution: 4 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 3 GlobalColorTable: 0, 0, 0, 255, 255, 0, 191, 191,
191, 0,
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 255, 255, 255 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 32 ImageHeight: 32 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/wurmblau.html>. Located 34
errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 24 Jun 2014 11:30:59 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cbb6-8bb-4fc934b423b68"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/wurmgold.html>
Testdatum: 2014-11-19 08:26:03.611386
Standard Compliance: 80
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 2, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 2 local images:

<http://www.metatrons.net/xsymb07.gif>

<http://www.metatrons.net/Wurm.eps.gif>

Titel: Checking 2 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/Wurm.eps.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:25:56 CET
RepresentationInformation: /tmp/18378648 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:25:56 CET Size: 14005 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 305
LogicalScreenHeight: 495 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered

```
GlobalColorTableSize: 2 GlobalColorTable: 192, 192, 192, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 305 ImageHeight: 495 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/xsymb07.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:25:56 CET
RepresentationInformation: /tmp/10566097 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:25:56 CET Size: 207 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 32
LogicalScreenHeight: 32 ColorResolution: 4 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 3 GlobalColorTable: 0, 0, 0, 255, 255, 0, 191, 191,
191, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 255, 255, 255, 255 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 32 ImageHeight: 32 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/wurmgold.html>. Located 34
errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 3 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 24 Jun 2014 11:31:00 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cbb7-8a7-4fc934b4ce9c8"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is

200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/wurmgrau.html>
Testdatum: 2014-11-19 08:26:11.585222
Standard Compliance: 80
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 2, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 2 local images:

<http://www.metatrons.net/xsymb07.gif>

<http://www.metatrons.net/Wurm.eps.gif>

Titel: Checking 2 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/Wurm.eps.gif>
Level: 100
Gewichtung: MEDIUM

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 24 Jun 2014 11:31:01 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cbb8-8aa-4fc934b567ee8"
HTTP caching

headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/wurmrot.html>
Testdatum: 2014-11-19 08:26:19.606527
Standard Compliance: 80
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 2, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 2 local images:

<http://www.metatrons.net/xsymb07.gif>

<http://www.metatrons.net/Wurm.eps.gif>

Titel: Checking 2 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/Wurm.eps.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:26:12 CET
RepresentationInformation: /tmp/38154616 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:26:12 CET Size: 14005 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 305
LogicalScreenHeight: 495 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 192, 192, 192, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 305 ImageHeight: 495 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/xsymb07.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:26:12 CET
RepresentationInformation: /tmp/45374648 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:26:12 CET Size: 207 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 32
LogicalScreenHeight: 32 ColorResolution: 4 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 3 GlobalColorTable: 0, 0, 0, 255, 255, 0, 191, 191,
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 255, 255, 255 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 32 ImageHeight: 32 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,

Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.metatrons.net/wurmrot.html. Located 34 errors, 4 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 24 Jun 2014 11:31:01 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cbb9-8c0-4fc934b60eec8"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/wurmsch.html>
Testdatum: 2014-11-19 08:26:27.690203
Standard Compliance: 80
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 2, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:


```
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 32 ImageHeight: 32 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/wurmsch.html>. Located 34 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 24 Jun 2014 11:31:02 GMT
HTTP Etag was clearly
defined in HTTP headers: "81d6cbba-8c3-4fc934b6a7448"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.metatrons.net/wurmweis.html>
Testdatum: 2014-11-19 08:26:35.706854
Standard Compliance: 80
Archivierbarkeit: 91
Accessibility: 85
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow:
Disallow: commands are used to block web bots from specific
website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: Sitemap file exists <http://www.metatrons.net/sitemap.xml>
Level: 100

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 2, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 2 local images:

<http://www.metatrons.net/xsymb07.gif>

<http://www.metatrons.net/Wurm.eps.gif>

Titel: Checking 2 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://www.metatrons.net/Wurm.eps.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:26:28 CET
RepresentationInformation: /tmp/86856620 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-19 08:26:28 CET Size: 14005 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 305
LogicalScreenHeight: 495 ColorResolution: 3 BackgroundColorIndex: 255
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 2 GlobalColorTable: 192, 192, 192, 204, 204, 204,
153, 153, 153, 102, 102, 102, 51, 51, 51, 0, 0, 0, 0, 0, 0, 0, 0, 0
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 0 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 305 ImageHeight: 495 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://www.metatrons.net/xsymb07.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-19 08:26:28 CET
RepresentationInformation: /tmp/66402041 ReportingModule: GIF-hul, Rel. 1.3
```

```
(2006-09-05) LastModified: 2014-11-19 08:26:28 CET Size: 207 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 32
LogicalScreenHeight: 32 ColorResolution: 4 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 3 GlobalColorTable: 0, 0, 0, 255, 255, 0, 191, 191,
191, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0,
0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 0, 255, 255, 255 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 32 ImageHeight: 32 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.metatrons.net/wurmweis.html>. Located 35 errors, 5 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 24 Jun 2014 11:31:03 GMT
HTTP Etag was clearly defined in HTTP headers: "81d6cbbb-a04-4fc934b733e48"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.