

Beurteilung Spiegelungsfähigkeit

Beschreibung Abspielumgebung

Werktitel	Die Lyrikmaschine
Werkversion	19.11.2014
Autor	Martin Auer
Hauptseite-URL	http://www.martinauer.net/lyrikmas/_start.htm
Datum der Sichtung	19.11.2014
Bearbeiter	S. Kuch
Einrichtung	Deutsches Literaturarchiv Marbach
Betriebssystem	Windows XP
Browser	Firefox 17.0.7
Plugins	

Eine Liste aller zum Werk gehörenden und getesteten URLs findet sich im Anhang A. Das Ergebnis der automatisierten Evaluation mittels ArchiveReady findet sich in Anhang B.

Für die Beurteilung der Archivierbarkeit ist die Anzahl der negativ gewerteten Eigenschaften unerheblich.

Teilbereiche

Dieser Beurteilungsleitfaden beruht auf dem Paper „CLEAR: a credible method to evaluate website archivability“¹ und dient als Grundlage für die Entwicklung eines Programms, das die Beurteilung semiautomatisch durchführt.

Zugänglichkeit

1. Validieren alle Hyperlinks? - Nein.
2. Werden Inhalte dynamisch generiert? - Nein.
3. Gibt es bereits eine archivierte Version, z. B. bei archive.org? Welche Qualität hat diese? - Ja, funktionsfähig
4. Verfügt die Seite über eine Sitemap? - Nein.
5. Verfügt die Seite über eine robots.txt? Schließt diese Crawler oder bestimmten Content aus? - Ja. Ja.
6. Verfügt die Seite über Feeds? - Nein.
7. Werden proprietäre Datenformate (Flash/Quicktime) verwendet? - Nein.

Standardkonformität

1. Validierung referenzierter Medien (Bilder, Audio, Video, ...) - Bestanden.
2. Compliance-Prüfung von Webelementen (HTML, CSS) - nicht bestanden (invalides HTML)

Performanz

Werden Anfragen ausreichend schnell beantwortet? - Bestanden.

Kohäsion

Werden Dateien auf verschiedenen Systemen gehostet? - Ja.

¹ Banos et al.: *CLEAR: a credible method to evaluate website archivability*. Lisabon. 2013.

Metadaten

Sind Metadaten aus HTTP Headern vorhanden? - Nein.

Bemerkungen

Die Archivierbarkeit von 53% des Dokuments [lyrm.link.php](#) ergibt sich aus eingebundenen Social-Media-Buttons.

Beurteilung

Der schlechteste Wert aus der Evaluierung aller Dokumente ist maßgeblich für die Archivierbarkeit der gesamten Webresource.

Archivierbarkeit 81%

Anhang A: Liste aller zum Werk gehörenden und getesteten URLs

<http://www.martinauer.net/lykopf.htm>
<http://www.martinauer.net/lyrikmas/lm001.htm>
<http://www.martinauer.net/lyrikmas/lm002.htm>
<http://www.martinauer.net/lyrikmas/lm003.htm>
<http://www.martinauer.net/lyrikmas/lm004.htm>
<http://www.martinauer.net/lyrikmas/lm005.htm>
<http://www.martinauer.net/lyrikmas/lm006.htm>
<http://www.martinauer.net/lyrikmas/lm007.htm>
<http://www.martinauer.net/lyrikmas/lm008.htm>
<http://www.martinauer.net/lyrikmas/lm009.htm>
<http://www.martinauer.net/lyrikmas/lm010.htm>
<http://www.martinauer.net/lyrikmas/lm011.htm>
<http://www.martinauer.net/lyrikmas/lm012.htm>
<http://www.martinauer.net/lyrikmas/lm013.htm>
<http://www.martinauer.net/lyrikmas/lm014.htm>
<http://www.martinauer.net/lyrikmas/lm015.htm>
<http://www.martinauer.net/lyrikmas/lm016.htm>
<http://www.martinauer.net/lyrikmas/lm017.htm>
<http://www.martinauer.net/lyrikmas/lm018.htm>
<http://www.martinauer.net/lyrikmas/lm019.htm>
<http://www.martinauer.net/lyrikmas/lm020.htm>
<http://www.martinauer.net/lyrikmas/lm021.htm>
<http://www.martinauer.net/lyrikmas/lm022.htm>
<http://www.martinauer.net/lyrikmas/lm023.htm>
<http://www.martinauer.net/lyrikmas/lm024.htm>
<http://www.martinauer.net/lyrikmas/lm025.htm>
<http://www.martinauer.net/lyrikmas/lm026.htm>
<http://www.martinauer.net/lyrikmas/lm027.htm>
<http://www.martinauer.net/lyrikmas/lm028.htm>
<http://www.martinauer.net/lyrikmas/lm029.htm>
<http://www.martinauer.net/lyrikmas/lm030.htm>
<http://www.martinauer.net/lyrikmas/lm031.htm>
<http://www.martinauer.net/lyrikmas/lm032.htm>
<http://www.martinauer.net/lyrikmas/lm033.htm>
<http://www.martinauer.net/lyrikmas/lm034.htm>
<http://www.martinauer.net/lyrikmas/lm035.htm>

<http://www.martinauer.net/lyrikmas/lm036.htm>
<http://www.martinauer.net/lyrikmas/lm037.htm>
<http://www.martinauer.net/lyrikmas/lm038.htm>
<http://www.martinauer.net/lyrikmas/lm039.htm>
<http://www.martinauer.net/lyrikmas/lm040.htm>
<http://www.martinauer.net/lyrikmas/lm041.htm>
<http://www.martinauer.net/lyrikmas/lm042.htm>
<http://www.martinauer.net/lyrikmas/lm043.htm>
<http://www.martinauer.net/lyrikmas/lm044.htm>
<http://www.martinauer.net/lyrikmas/lm045.htm>
<http://www.martinauer.net/lyrikmas/lm046.htm>
<http://www.martinauer.net/lyrikmas/lm047.htm>
<http://www.martinauer.net/lyrikmas/lm048.htm>
<http://www.martinauer.net/lyrikmas/lm049.htm>
<http://www.martinauer.net/lyrikmas/lm050.htm>
http://www.martinauer.net/lyrikmas/_start.htm
<http://www.martinauer.net/lyrmlink.php>

Anhang B

URL: <http://www.martinauer.net/lykopf.htm>
Testdatum: 2014-11-11 10:55:58.799038
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What

is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.
 1 local images:

<http://www.martinauer.net/lyrmamd.gif>

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of
a digital object to the specification for its purported format, e.g.: I
have an object purportedly of format F; is it?

Titel: Image checked: <http://www.martinauer.net/lyrmamd.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:55:52 CET
RepresentationInformation: /tmp/60431690 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 10:55:51 CET Size: 5431 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFmetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 374
LogicalScreenHeight: 60 ColorResolution: 8 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 7 GlobalColorTable: 0, 0, 0, 0, 0, 51, 0, 0, 102, 0,
0, 153, 0, 0, 204, 0, 0, 255, 0, 51, 0, 0, 51, 51, 0, 51, 102, 0, 51, 153,
0, 51, 204, 0, 51, 255, 0, 102, 0, 0, 102, 51, 0, 102, 102, 0, 102, 153, 0,
102, 204, 0, 102, 255, 0, 153, 0, 0, 153, 51, 0, 153, 102, 0, 153, 153, 0,
153, 204, 0, 153, 255, 0, 204, 0, 0, 204, 51, 0, 204, 102, 0, 204, 153, 0,
204, 204, 0, 204, 255, 0, 255, 0, 0, 255, 51, 0, 255, 102, 0, 255, 153, 0,
255, 204, 0, 255, 255, 51, 0, 0, 51, 0, 51, 51, 0, 102, 51, 0, 153, 51, 0,
204, 51, 0, 255, 51, 51, 0, 51, 51, 51, 51, 51, 102, 51, 51, 153, 51, 51,
204, 51, 51, 255, 51, 102, 0, 51, 102, 51, 51, 102, 102, 51, 102, 153, 51,
102, 204, 51, 102, 255, 51, 153, 0, 51, 153, 51, 51, 153, 102, 51, 153,
153, 51, 153, 204, 51, 153, 255, 51, 204, 0, 51, 204, 51, 51, 204, 102, 51,
204, 153, 51, 204, 204, 51, 204, 255, 51, 255, 0, 51, 255, 51, 51, 255,
102, 51, 255, 153, 51, 255, 204, 51, 255, 255, 102, 0, 0, 102, 0, 51, 102,
0, 102, 102, 0, 153, 102, 0, 204, 102, 0, 255, 102, 51, 0, 102, 51, 51,
102, 51, 102, 102, 51, 153, 102, 51, 204, 102, 51, 255, 102, 102, 0, 102,
102, 51, 102, 102, 102, 102, 102, 153, 102, 102, 204, 102, 102, 255, 102,
153, 0, 102, 153, 51, 102, 153, 102, 102, 153, 153, 102, 153, 204, 102,
153, 255, 102, 204, 0, 102, 204, 51, 102, 204, 102, 102, 204, 153, 102,
204, 204, 102, 204, 255, 102, 255, 0, 102, 255, 51, 102, 255, 102, 102,
255, 153, 102, 255, 204, 102, 255, 255, 153, 0, 0, 153, 0, 51, 153, 0, 102,
153, 0, 153, 153, 0, 204, 153, 0, 255, 153, 51, 0, 153, 51, 51, 153, 51,
102, 153, 51, 153, 153, 51, 204, 153, 51, 255, 153, 102, 0, 153, 102, 51,
153, 102, 102, 153, 102, 153, 153, 102, 204, 153, 102, 255, 153, 153, 0,
153, 153, 51, 153, 153, 102, 153, 153, 153, 153, 153, 204, 153, 153, 255,
153, 204, 0, 153, 204, 51, 153, 204, 102, 153, 204, 153, 153, 204, 204,
153, 204, 255, 153, 255, 0, 153, 255, 51, 153, 255, 102, 153, 255, 153,
153, 255, 204, 153, 255, 255, 204, 0, 0, 204, 0, 51, 204, 0, 102, 204, 0,
153, 204, 0, 204, 204, 0, 255, 204, 51, 0, 204, 51, 51, 204, 51, 102, 204,
51, 153, 204, 51, 204, 204, 51, 255, 204, 102, 0, 204, 102, 51, 204, 102,
102, 204, 102, 153, 204, 102, 204, 204, 102, 255, 204, 153, 0, 204, 153,
51, 204, 153, 102, 204, 153, 153, 204, 153, 204, 204, 153, 255, 204, 204,
0, 204, 204, 51, 204, 204, 102, 204, 204, 153, 204, 204, 204, 204, 204,
255, 204, 255, 0, 204, 255, 51, 204, 255, 102, 204, 255, 153, 204, 255,
```


Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:40:05 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001d82b-376-4b7d319c461d7"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://www.martinauer.net/lyrikmas/_start.htm

Testdatum: 2014-11-11 10:52:32.491736

Standard Compliance: 82

Archivierbarkeit: 80

Accessibility: 45

Kohäsion: 93

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 6, remote images found: 1
Level: 85
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

1 remote images:
 http://counter.digits.com/wc/-d/4/Lyrikmaschine_Counter
 6 local images:
 http://www.martinauer.net/lyrikmas/ly_r-s.jpg
 http://www.martinauer.net/lyrikmas/ly_g-o.jpg
 http://www.martinauer.net/lyrikmas/ly_g-v.jpg
 http://www.martinauer.net/lyrikmas/ly_m-a.gif
 http://www.martinauer.net/lyrikmas/ly_b-w.jpg
 http://www.martinauer.net/lyrikmas/ly_v-r.jpg

Titel: Checking 7 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_r-s.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:52:24 CET
RepresentationInformation: /tmp/53934734 ReportingModule: JPEG-hul, Rel.

```
1.2 (2007-02-13) LastModified: 2014-11-11 10:52:24 CET Size: 9414 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 194 ImageHeight: 38
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_g-o.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:52:24 CET
RepresentationInformation: /tmp/74664808 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:52:24 CET Size: 8912 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 194 ImageHeight: 38
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_g-v.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:52:25 CET
RepresentationInformation: /tmp/64473115 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:52:24 CET Size: 9197 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 188 ImageHeight: 37
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_m-a.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:52:25 CET
RepresentationInformation: /tmp/52821290 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 10:52:24 CET Size: 30488 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
```


</pre>

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-w.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:52:25 CET
RepresentationInformation: /tmp/27421371 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:52:25 CET Size: 10268 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 194 ImageHeight: 38
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>

Titel: Could not download file http://counter.digits.com/wc/-d/4/Lyrikmaschine_Counter
Level: 0
Gewichtung: HIGH
Beschreibung:
('Connection aborted.', gaierror(-2, 'Name or service not known'))

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_v-r.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:52:25 CET
RepresentationInformation: /tmp/42826102 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:52:25 CET Size: 9172 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 188 ImageHeight: 37
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/_start.htm. Located
12 errors, 2 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: There are 8 valid and 1 invalid links.

Level: 88

Gewichtung: HIGH

Beschreibung:

Invalid links prevent web bots from accessing the full content , in order to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,
Invalid links:
 , <http://www.t0.or.at/~lyrikmaschine/bestell/>
 , Valid links:
 , <http://www.martinauer.net/autor.htm>
<http://www.martinauer.net/index.htm>
<http://www.martinauer.net/lyrikmas/lm031.htm>
<http://www.martinauer.net/lyrikmas/lm021.htm>
<http://www.martinauer.net/lyrikmas/lm041.htm>
<http://www.martinauer.net/lyrikmas/lm011.htm>
<http://www.digits.com/>
<http://www.martinauer.net/lyrikmas/lm001.htm>

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: 1 inline script elements found

Level: 0

Gewichtung: HIGH

Beschreibung:

Inline Javascript code inside HTML is considered a bad practice.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 31 Jan 2012 13:47:03 GMT
HTTP Etag was clearly
defined in HTTP headers: "100000001dadbf33-4b7d332b2b104"
HTTP
caching headers are critical to improve web archiving bots performance
because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm001.htm>
Testdatum: 2014-11-11 10:52:43.794524
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from
specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:52:36 CET
RepresentationInformation: /tmp/22543628 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:52:36 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm001.htm. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 5 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:46:59 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dad1-94a-4b7d3327b9d2c"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm002.htm>

Testdatum: 2014-11-11 10:53:47.136261

Standard Compliance: 72

Archivierbarkeit: 85

Accessibility: 69

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:53:40 CET
RepresentationInformation: /tmp/13347466 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:53:39 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm002.htm>. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:20 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001daf7-5f3-4b7d333b84028"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm003.htm>
Testdatum: 2014-11-11 10:54:04.605127
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from

specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:53:57 CET
RepresentationInformation: /tmp/8838333 ReportingModule: JPEG-hul, Rel. 1.2
(2007-02-13) LastModified: 2014-11-11 10:53:57 CET Size: 24822 Format: JPEG
Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.

Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm003.htm. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 31 Jan 2012 13:47:03 GMT
HTTP Etag was clearly
defined in HTTP headers: "100000001dad7-4eb-4b7d332af1d71"
HTTP
caching headers are critical to improve web archiving bots performance
because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm004.htm>
Testdatum: 2014-11-11 10:57:09.594191
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from
specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:57:02 CET
RepresentationInformation: /tmp/48377506 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:57:02 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm004.htm. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:23 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dafc-400-4b7d333ea8f51"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm005.htm>
Testdatum: 2014-11-11 10:58:46.545598
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:58:39 CET
RepresentationInformation: /tmp/85781156 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:58:39 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm005.htm>. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:46:56 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dacb-650-4b7d33247dfde"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm006.htm>
Testdatum: 2014-11-11 10:53:55.920979
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from

specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:53:48 CET
RepresentationInformation: /tmp/66978306 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:53:48 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.

Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm006.htm. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 31 Jan 2012 13:47:13 GMT
HTTP Etag was clearly
defined in HTTP headers: "100000001daea-804-4b7d3334ea00d"
HTTP
caching headers are critical to improve web archiving bots performance
because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm007.htm>
Testdatum: 2014-11-11 10:54:13.319782
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from
specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:54:06 CET
RepresentationInformation: /tmp/55806147 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:54:06 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm007.htm. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:46:56 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dacd-354-4b7d33249110f"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm008.htm>

Testdatum: 2014-11-11 10:58:00.248830

Standard Compliance: 72

Archivierbarkeit: 85

Accessibility: 69

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:57:53 CET
RepresentationInformation: /tmp/48620501 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:57:52 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm008.htm>. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:13 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001daee-376-4b7d33352adb4"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm009.htm>
Testdatum: 2014-11-11 10:57:22.883424
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from

specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:57:13 CET
RepresentationInformation: /tmp/91810736 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:57:13 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.

Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm009.htm. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 31 Jan 2012 13:47:00 GMT
HTTP Etag was clearly
defined in HTTP headers: "100000001dad4-ac1-4b7d3327f6dc9"
HTTP
caching headers are critical to improve web archiving bots performance
because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm010.htm>
Testdatum: 2014-11-11 10:57:42.887780
Standard Compliance: 72
Archivierbarkeit: 81
Accessibility: 51
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from
specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:57:35 CET
RepresentationInformation: /tmp/55700424 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:57:35 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm010.htm. Located 5 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: There are 4 valid and 1 invalid links.

Level: 80

Gewichtung: HIGH

Beschreibung:

Invalid links prevent web bots from accessing the full content , in order to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,

Invalid links:
 , Javascript:topWindow()
 , Valid links:

, <http://www.martinauer.net/lyrikmas/lm016.htm>

<http://www.martinauer.net/lyrikmas/lm014.htm>

<http://www.martinauer.net/lyrikmas/lm047.htm>

http://www.martinauer.net/lyrikmas/_start.htm

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: 1 inline script elements found
Level: 0
Gewichtung: HIGH
Beschreibung:
Inline Javascript code inside HTML is considered a bad practice.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:10 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dae5-881-4b7d3331c8e03"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm011.htm>
Testdatum: 2014-11-11 10:52:52.586705
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of

a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:52:45 CET
RepresentationInformation: /tmp/59997405 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:52:45 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm011.htm>. Located 4 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web

archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:00 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dad6-2fb-4b7d332819321"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm012.htm>
Testdatum: 2014-11-11 10:57:32.706175
Standard Compliance: 72
Archivierbarkeit: 81
Accessibility: 51
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:57:24 CET
RepresentationInformation: /tmp/57611656 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-11 10:57:24 CET Size: 24822 Format: JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder: big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47 ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8, 8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio: PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables: QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD Technologies Inc. V1.01 ApplicationSegments: APP0

</pre>

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm012.htm. Located errors, warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: There are 4 valid and 1 invalid links.
Level: 80
Gewichtung: HIGH
Beschreibung:
Invalid links prevent web bots from accessing the full content , in order to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,
Invalid links:
 , Javascript:topWindow()
 , Valid links:
 , <http://www.martinauer.net/lyrikmas/lm013.htm>
<http://www.martinauer.net/lyrikmas/lm003.htm>
<http://www.martinauer.net/lyrikmas/lm017.htm>
http://www.martinauer.net/lyrikmas/_start.htm

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: 1 inline script elements found
Level: 0
Gewichtung: HIGH
Beschreibung:
Inline Javascript code inside HTML is considered a bad practice.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:03 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dada-ea9-4b7d332b273fa"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm013.htm>

Testdatum: 2014-11-11 10:54:22.430513

Standard Compliance: 72

Archivierbarkeit: 81

Accessibility: 51

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:54:15 CET
RepresentationInformation: /tmp/10818071 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-11 10:54:14 CET Size: 24822 Format: JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder: big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47 ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8, 8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio: PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables: QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm013.htm. Located 5 errors, 3 warnings.
Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: There are 4 valid and 1 invalid links.

Level: 80

Gewichtung: HIGH

Beschreibung:

Invalid links prevent web bots from accessing the full content , in order to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,

Invalid links:
 , Javascript:topWindow()
 , Valid links:
 , <http://www.martinauer.net/lyrikmas/lm005.htm>
<http://www.martinauer.net/lyrikmas/lm050.htm>
<http://www.martinauer.net/lyrikmas/lm024.htm>
http://www.martinauer.net/lyrikmas/_start.htm

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: 1 inline script elements found

Level: 0

Gewichtung: HIGH

Beschreibung:

Inline Javascript code inside HTML is considered a bad practice.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 31 Jan 2012 13:47:23 GMT
HTTP Etag was clearly
defined in HTTP headers: "100000001dafe-9cf-4b7d333ec3a96"
HTTP
caching headers are critical to improve web archiving bots performance
because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm014.htm>
Testdatum: 2014-11-11 10:59:24.346372
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from
specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What

is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:59:07 CET  
RepresentationInformation: /tmp/15662873 ReportingModule: JPEG-hul, Rel.  
1.2 (2007-02-13) LastModified: 2014-11-11 10:59:07 CET Size: 24822 Format:  
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul  
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman  
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:  
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47  
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,  
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:  
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:  
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD  
Technologies Inc. V1.01 ApplicationSegments: APP0  
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm014.htm. Located errors, warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:46:56 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dacf-c1b-4b7d3324c6798"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm015.htm>
Testdatum: 2014-11-11 11:07:23.403495
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:07:16 CET
RepresentationInformation: /tmp/17951809 ReportingModule: JPEG-hul, Rel.

```
1.2 (2007-02-13) LastModified: 2014-11-11 11:07:16 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm015.htm>. Located 4 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The

absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:20 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001daf6-312-4b7d333b61acf"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm016.htm>

Testdatum: 2014-11-11 10:54:31.328455

Standard Compliance: 72

Archivierbarkeit: 85

Accessibility: 69

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:54:24 CET
RepresentationInformation: /tmp/78712427 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:54:24 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm016.htm>. Located 4 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 31 Jan 2012 13:47:13 GMT
HTTP Etag was clearly
defined in HTTP headers: "100000001daed-6c1-4b7d33351f696"
HTTP
caching headers are critical to improve web archiving bots performance
because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm017.htm>
Testdatum: 2014-11-11 10:59:05.515338
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from
specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What

is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:58:48 CET
RepresentationInformation: /tmp/34955823 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:58:48 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm017.htm. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:20 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001daf5-b4a-4b7d333b657d9"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm018.htm>
Testdatum: 2014-11-11 10:59:33.614382
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:59:26 CET
RepresentationInformation: /tmp/25278714 ReportingModule: JPEG-hul, Rel.

```
1.2 (2007-02-13) LastModified: 2014-11-11 10:59:25 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm018.htm>. Located 4 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The

absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:46:52 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dac5-2f7-4b7d3320ea6ae"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm019.htm>

Testdatum: 2014-11-11 11:07:05.495932

Standard Compliance: 72

Archivierbarkeit: 85

Accessibility: 69

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:06:58 CET
RepresentationInformation: /tmp/99063068 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 11:06:58 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm019.htm>. Located errors, warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 31 Jan 2012 13:47:23 GMT
HTTP Etag was clearly
defined in HTTP headers: "100000001dafb-2ef-4b7d333ea153d"
HTTP
caching headers are critical to improve web archiving bots performance
because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm020.htm>
Testdatum: 2014-11-11 11:07:14.835959
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from
specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What

is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:07:07 CET
RepresentationInformation: /tmp/52905245 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 11:07:07 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm020.htm. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:10 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dae7-33e-4b7d3331e7652"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm021.htm>
Testdatum: 2014-11-11 10:53:01.424779
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:52:54 CET
RepresentationInformation: /tmp/61916290 ReportingModule: JPEG-hul, Rel.

```
1.2 (2007-02-13) LastModified: 2014-11-11 10:52:54 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm021.htm>. Located 4 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The

absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:03 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dad8-371-4b7d332b08bac"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm022.htm>

Testdatum: 2014-11-11 11:06:56.846599

Standard Compliance: 72

Archivierbarkeit: 85

Accessibility: 69

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:06:49 CET
RepresentationInformation: /tmp/16038402 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 11:06:49 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm022.htm>. Located 4 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 31 Jan 2012 13:47:06 GMT
HTTP Etag was clearly
defined in HTTP headers: "100000001dadd-330-4b7d332e1a98f"
HTTP
caching headers are critical to improve web archiving bots performance
because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm023.htm>
Testdatum: 2014-11-11 10:54:40.181739
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from
specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What

is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.
 1 local images:

http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of
a digital object to the specification for its purported format, e.g.: I
have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:54:32 CET  
RepresentationInformation: /tmp/93137443 ReportingModule: JPEG-hul, Rel.  
1.2 (2007-02-13) LastModified: 2014-11-11 10:54:32 CET Size: 24822 Format:  
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul  
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman  
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:  
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47  
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,  
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:  
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:  
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD  
Technologies Inc. V1.01 ApplicationSegments: APP0  
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm023.htm>. Located 3
errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 4 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:06 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dadf-34f-4b7d332e317c9"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm024.htm>
Testdatum: 2014-11-11 10:58:19.261848
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:58:12 CET
RepresentationInformation: /tmp/75307389 ReportingModule: JPEG-hul, Rel.

```
1.2 (2007-02-13) LastModified: 2014-11-11 10:58:12 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm024.htm>. Located 4 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The

absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:46:53 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dac7-259-4b7d33215cdd4"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm025.htm>

Testdatum: 2014-11-11 10:57:51.628698

Standard Compliance: 72

Archivierbarkeit: 85

Accessibility: 69

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:57:44 CET
RepresentationInformation: /tmp/22068691 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:57:44 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm025.htm>. Located 4 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 31 Jan 2012 13:46:52 GMT
HTTP Etag was clearly
defined in HTTP headers: "100000001dac6-2e3-4b7d3320ee3b7"
HTTP
caching headers are critical to improve web archiving bots performance
because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm026.htm>
Testdatum: 2014-11-11 10:58:09.673878
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from
specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What

is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/lm026.htm/lyrmakl.gif

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked:

http://www.martinauer.net/lyrikmas/lm026.htm/lyrmakl.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:58:02 CET
RepresentationInformation: /tmp/3903031 ReportingModule: XML-hul, Rel. 1.4
(2007-01-08) LastModified: 2014-11-11 10:58:01 CET Size: 1149 Format: XHTML
Version: 1.0 Status: Well-Formed and valid SignatureMatches: XML-hul
MIMETYPE: text/xml HTMLMetadata: PrimaryLanguage: en Title: Object not
found! Links: mailto:admin@martinauer.net, / XMLMetadata: Parser:
com.sun.org.apache.xerces.internal.jaxp.SAXParserImpl$JAXPSAXParser
Encoding: ISO-8859-1 DTD_URI: http://www.w3.org/TR/xhtml1/DTD/xhtml1-
strict.dtd Root: html Namespaces: Namespace: Prefix: URI:
http://www.w3.org/1999/xhtml Entities: Entity: Name: %misc Type: Internal
Value: noscript | ins | del | script Entity: Name: %inline Type: Internal
Value: a | br | span | bdo | map | object | img | tt | i | b | big | small
| em | strong | dfn | code | q | samp | kbd | var | cite | abbr | acronym |
sub | sup | input | select | textarea | label | button Entity: Name: %block
Type: Internal Value: p | h1|h2|h3|h4|h5|h6 | div | ul | ol | dl | pre | hr
| blockquote | address | fieldset | table Entity: Name: %head.misc Type:
Internal Value: (script|style|meta|link|object)* Entity: Name: %HTMLlat1
Type: External parsed PublicID: -//W3C//ENTITIES Latin 1 for XHTML//EN
SystemID: http://hul.harvard.edu/xhtml-lat1.ent Entity: Name: %HTMLsymbol
Type: External parsed PublicID: -//W3C//ENTITIES Symbols for XHTML//EN
SystemID: http://hul.harvard.edu/xhtml-symbol.ent Entity: Name:
%HTMLspecial Type: External parsed PublicID: -//W3C//ENTITIES Special for
XHTML//EN SystemID: http://hul.harvard.edu/xhtml-special.ent
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm026.htm. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility

to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:17 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001daf2-2a1-4b7d33384bfce"
HTTP

caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm027.htm>
Testdatum: 2014-11-11 11:07:49.370354
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:07:42 CET
RepresentationInformation: /tmp/85286474 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 11:07:42 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm027.htm>. Located 3 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 5 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:07 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dae2-971-4b7d332e34"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm028.htm>

Testdatum: 2014-11-11 10:54:48.907777

Standard Compliance: 72

Archivierbarkeit: 85

Accessibility: 69

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:54:41 CET
RepresentationInformation: /tmp/61690736 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-11 10:54:41 CET Size: 24822 Format: JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder: big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47 ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8, 8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio: PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:

QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm028.htm. Located 3
errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume

the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:17 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001daf4-348-4b7d333866b13"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm029.htm>
Testdatum: 2014-11-11 11:07:40.528610
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:07:33 CET
RepresentationInformation: /tmp/36768645 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 11:07:33 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm029.htm. Located 3 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility

to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:46:56 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dacc-29c-4b7d33249110f"
HTTP

caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm030.htm>
Testdatum: 2014-11-11 10:59:43.622989
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:59:36 CET
RepresentationInformation: /tmp/25578808 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:59:36 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm030.htm>. Located 3 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:17 GMT
HTTP Etag was clearly defined in HTTP headers: "10000001daf1-563-4b7d33382d77f"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm031.htm>

Testdatum: 2014-11-11 10:53:10.314218

Standard Compliance: 72

Archivierbarkeit: 85

Accessibility: 69

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:53:03 CET
RepresentationInformation: /tmp/27522821 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-11 10:53:02 CET Size: 24822 Format: JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder: big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47 ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8, 8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio: PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:

QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm031.htm. Located 3
errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume

the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:24 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001daff-6ab-4b7d333eda8d2"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm032.htm>
Testdatum: 2014-11-11 10:55:07.111539
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:55:00 CET
RepresentationInformation: /tmp/43800675 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:54:59 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm032.htm. Located 3 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility

to be preserved correctly

Titel: 5 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:06 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dade-39d-4b7d332e317c9"
HTTP

caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm033.htm>
Testdatum: 2014-11-11 10:54:58.369943
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:54:51 CET
RepresentationInformation: /tmp/17369669 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-11 10:54:51 CET Size: 24822 Format: JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder: big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47 ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8, 8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio: PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables: QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm033.htm>. Located 3 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:03 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dad9-31e-4b7d332b08bac"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm034.htm>

Testdatum: 2014-11-11 11:07:31.901425

Standard Compliance: 72

Archivierbarkeit: 85

Accessibility: 69

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:07:25 CET
RepresentationInformation: /tmp/63631318 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-11 11:07:24 CET Size: 24822 Format: JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder: big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47 ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8, 8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio: PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:

QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm034.htm. Located 3
errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume

the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:13 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001daec-240-4b7d33350885c"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 30 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm035.htm>
Testdatum: 2014-11-11 11:08:34.209135
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:08:27 CET
RepresentationInformation: /tmp/34007037 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 11:08:26 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm035.htm. Located 3 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility

to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:46:53 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dac9-22d-4b7d332173c0e"
HTTP

caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm036.htm>
Testdatum: 2014-11-11 10:55:25.093820
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:55:18 CET
RepresentationInformation: /tmp/30262519 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-11 10:55:17 CET Size: 24822 Format: JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder: big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47 ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8, 8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio: PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables: QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm036.htm>. Located 3 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:23 GMT
HTTP Etag was clearly defined in HTTP headers: "10000001dafd-6c2-4b7d333ebc083"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm037.htm>

Testdatum: 2014-11-11 11:00:10.551529

Standard Compliance: 72

Archivierbarkeit: 85

Accessibility: 69

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:00:03 CET
RepresentationInformation: /tmp/29307818 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-11 11:00:03 CET Size: 24822 Format: JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder: big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47 ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8, 8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio: PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:

QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm037.htm. Located 3
errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume

the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:06 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dae1-36a-4b7d332e4c30e"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm038.htm>
Testdatum: 2014-11-11 11:00:01.594955
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:59:54 CET
RepresentationInformation: /tmp/94408129 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:59:54 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm038.htm. Located 3 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility

to be preserved correctly

Titel: 2 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:46:59 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dad3-250-4b7d3327d857b"
HTTP

caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm039.htm>
Testdatum: 2014-11-11 10:59:52.523688
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:59:45 CET
RepresentationInformation: /tmp/59834675 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-11 10:59:45 CET Size: 24822 Format: JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder: big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47 ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8, 8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio: PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables: QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm039.htm>. Located 3 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:46:56 GMT
HTTP Etag was clearly defined in HTTP headers: "10000001dace-243-4b7d3324af95d"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm040.htm>

Testdatum: 2014-11-11 11:07:58.361966

Standard Compliance: 72

Archivierbarkeit: 81

Accessibility: 50

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:07:51 CET
RepresentationInformation: /tmp/31875832 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-11 11:07:50 CET Size: 24822 Format: JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder: big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47 ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8, 8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio: PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:

QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm040.htm. Located 4
errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: There are 3 valid and 1 invalid links.
Level: 75
Gewichtung: HIGH
Beschreibung:
Invalid links prevent web bots from accessing the full content , in order
to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,
Invalid links:
 , Javascript:topWindow()
 , Valid links:

, http://www.martinauer.net/lyrikmas/lm041.htm
http://www.martinauer.net/lyrikmas/lm034.htm
http://www.martinauer.net/lyrikmas/_start.htm

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: 1 inline script elements found
Level: 0
Gewichtung: HIGH
Beschreibung:
Inline Javascript code inside HTML is considered a bad practice.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:16 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001daef-9bb-4b7d333812c39"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm041.htm>

Testdatum: 2014-11-11 10:53:20.275588

Standard Compliance: 72

Archivierbarkeit: 85

Accessibility: 69

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:53:12 CET
RepresentationInformation: /tmp/39107805 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 10:53:11 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm041.htm. Located 3 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:27 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001db03-3bd-4b7d3341e4cb5"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm042.htm>

Testdatum: 2014-11-11 10:55:16.034398

Standard Compliance: 72

Archivierbarkeit: 85

Accessibility: 69

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:55:08 CET  
RepresentationInformation: /tmp/51027628 ReportingModule: JPEG-hul, Rel.  
1.2 (2007-02-13) LastModified: 2014-11-11 10:55:08 CET Size: 24822 Format:  
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul  
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman  
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:  
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47  
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,  
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:  
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:  
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD  
Technologies Inc. V1.01 ApplicationSegments: APP0  
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm042.htm>. Located 3
errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 3 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH

Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM

Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM

Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:46:53 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001daca-2cb-4b7d332199e70"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH

Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm043.htm>
Testdatum: 2014-11-11 11:08:07.036068
Standard Compliance: 72

Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:08:00 CET
RepresentationInformation: /tmp/8413157 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-11 11:07:59 CET Size: 24822 Format: JPEG
Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:

```
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm043.htm>. Located 3 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:27 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001db01-36e-4b7d3341ca170"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm044.htm>

Testdatum: 2014-11-11 11:00:20.631211

Standard Compliance: 72

Archivierbarkeit: 85

Accessibility: 69

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:00:12 CET  
RepresentationInformation: /tmp/81549577 ReportingModule: JPEG-hul, Rel.  
1.2 (2007-02-13) LastModified: 2014-11-11 11:00:12 CET Size: 24822 Format:  
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul  
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman  
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:  
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47  
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,  
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:  
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:  
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD  
Technologies Inc. V1.01 ApplicationSegments: APP0  
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm044.htm. Located 3
errors, 3 warnings.

Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:17 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001daf3-46f-4b7d333862e09"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm045.htm>

Testdatum: 2014-11-11 11:00:57.558220

Standard Compliance: 72

Archivierbarkeit: 81

Accessibility: 50

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:00:50 CET
RepresentationInformation: /tmp/91373929 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 11:00:50 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm045.htm>. Located errors, warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: There are 3 valid and 1 invalid links.

Level: 75

Gewichtung: HIGH

Beschreibung:

Invalid links prevent web bots from accessing the full content , in order to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,
Invalid links:
 , Javascript:topWindow()
 , Valid links:
 , <http://www.martinauer.net/lyrikmas/lm035.htm>
<http://www.martinauer.net/lyrikmas/lm005.htm>
http://www.martinauer.net/lyrikmas/_start.htm

Titel: No CSS files used in this webpage.

Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: 1 inline script elements found
Level: 0
Gewichtung: HIGH
Beschreibung:
Inline Javascript code inside HTML is considered a bad practice.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:10 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dae6-9de-4b7d3331e3948"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm046.htm>
Testdatum: 2014-11-11 11:00:47.769275
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:00:40 CET
RepresentationInformation: /tmp/41076054 ReportingModule: JPEG-hul, Rel.

```
1.2 (2007-02-13) LastModified: 2014-11-11 11:00:40 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm046.htm>. Located 3 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The

absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:03 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dadcd27f4b7d332b3e235"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm047.htm>

Testdatum: 2014-11-11 11:00:39.122279

Standard Compliance: 72

Archivierbarkeit: 81

Accessibility: 51

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:00:22 CET
RepresentationInformation: /tmp/62302455 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 11:00:22 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm047.htm>. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: There are 5 valid and 1 invalid links.

Level: 83

Gewichtung: HIGH

Beschreibung:

Invalid links prevent web bots from accessing the full content , in order to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,
Invalid links:
 , Javascript:topWindow()
 , Valid links:
 , <http://www.martinauer.net/lyrikmas/lm049.htm>
<http://www.martinauer.net/lyrikmas/lm050.htm>
<http://www.martinauer.net/lyrikmas/lm048.htm>
<http://www.martinauer.net/lyrikmas/lm001.htm>
http://www.martinauer.net/lyrikmas/_start.htm

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: 1 inline script elements found

Level: 0

Gewichtung: HIGH

Beschreibung:

Inline Javascript code inside HTML is considered a bad practice.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Tue, 31 Jan 2012 13:47:10 GMT
HTTP Etag was clearly
defined in HTTP headers: "100000001dae8-5aa-4b7d3331fa783"
HTTP
caching headers are critical to improve web archiving bots performance
because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm048.htm>
Testdatum: 2014-11-11 11:01:16.118928
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from
specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap
is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:00:59 CET
RepresentationInformation: /tmp/86759930 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 11:00:59 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm048.htm>. Located 3 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:00 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dad5-7ab-4b7d3327f6dc9"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm049.htm>

Testdatum: 2014-11-11 11:08:25.577184

Standard Compliance: 72

Archivierbarkeit: 81

Accessibility: 50

Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file

Level: 0

Gewichtung: MEDIUM

Beschreibung:

Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.

Level: 0

Gewichtung: MEDIUM

Beschreibung:

This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 11:08:08 CET
RepresentationInformation: /tmp/16507557 ReportingModule: JPEG-hul, Rel.
1.2 (2007-02-13) LastModified: 2014-11-11 11:08:08 CET Size: 24822 Format:
JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul
MIMEtype: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman
coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder:
big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47
ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8,
8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio:
PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables:
QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD
Technologies Inc. V1.01 ApplicationSegments: APP0
</pre>
```

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrikmas/lm049.htm>. Located 4 errors, 3 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: There are 3 valid and 1 invalid links.

Level: 75

Gewichtung: HIGH

Beschreibung:

Invalid links prevent web bots from accessing the full content , in order to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,
Invalid links:
 , Javascript:topWindow()
 , Valid links:
 , <http://www.martinauer.net/lyrikmas/lm038.htm>
<http://www.martinauer.net/lyrikmas/lm015.htm>
http://www.martinauer.net/lyrikmas/_start.htm

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: 1 inline script elements found
Level: 0
Gewichtung: HIGH
Beschreibung:
Inline Javascript code inside HTML is considered a bad practice.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:46:59 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001dad2-b63-4b7d3327dff8e"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrikmas/lm050.htm>
Testdatum: 2014-11-11 10:58:37.571800
Standard Compliance: 72
Archivierbarkeit: 85
Accessibility: 69
Kohäsion: 100

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 1 local images:
 http://www.martinauer.net/lyrikmas/ly_b-a.jpg

Titel: Checking 1 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://www.martinauer.net/lyrikmas/ly_b-a.jpg
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:58:21 CET
RepresentationInformation: /tmp/82243077 ReportingModule: JPEG-hul, Rel. 1.2 (2007-02-13) LastModified: 2014-11-11 10:58:20 CET Size: 24822 Format: JPEG Version: 1.00 Status: Well-Formed and valid SignatureMatches: JPEG-hul MIMETYPE: image/jpeg Profile: JFIF JPEGMetadata: CompressionType: Huffman coding, Baseline DCT Images: Number: 1 Image: NisoImageMetadata: ByteOrder: big_endian CompressionScheme: JPEG ImageWidth: 240 ImageHeight: 47 ColorSpace: YCbCr SamplingFrequencyUnit: no absolute unit BitsPerSample: 8, 8, 8 BitsPerSampleUnit: integer SamplesPerPixel: 3 PixelAspectRatio: PixelAspectRatioX: 0 PixelAspectRatioY: 0 Scans: 1 QuantizationTables: QuantizationTable: Precision: 8-bit DestinationIdentifier: 0 Comments: LEAD Technologies Inc. V1.01 ApplicationSegments: APP0

</pre>

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://www.martinauer.net/lyrikmas/lm050.htm. Located 3 errors, 3 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.
Level: 50
Gewichtung: MEDIUM
Beschreibung:
The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was

applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Tue, 31 Jan 2012 13:47:24 GMT
HTTP Etag was clearly defined in HTTP headers: "100000001db00-4b7-4b7d333ede5dc"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://www.martinauer.net/lyrmlink.php>
Testdatum: 2014-11-11 10:56:10.619591
Standard Compliance: 79
Archivierbarkeit: 53
Accessibility: 47
Kohäsion: 13

+++ Meldungen +++

Titel: There are "Disallow:" commands in your robots.txt file
Level: 0
Gewichtung: MEDIUM
Beschreibung:
Disallow: /KINDER/
Disallow: commands are used to block web bots from specific website areas. They may cause web archiving problems.

Titel: There is no sitemap.xml reference in your robots.txt file.
Level: 0
Gewichtung: MEDIUM
Beschreibung:
This can be used to tell search engines or other robots where your sitemap is located.

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 1, remote images found: 3
Level: 25
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

3 remote images:

http://pr.prchecker.info/getpr.php?codex=aHR0cDovL3d3dy5tYXJ0aW5hdWVyLm5ldA==&tag=3
 http://api.flattr.com/button/flattr-badge-large.png

https://www.paypal.com/en_US/i/scr/pixel.gif
 1 local images:

http://www.martinauer.net/social.gif

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked:
http://pr.prchecker.info/getpr.php?codex=aHR0cDovL3d3dy5tYXJ0aW5hdWVyLm5ldA==&tag=3
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:56:00 CET
RepresentationInformation: /tmp/48292040 ReportingModule: GIF-hul, Rel. 1.3 (2006-09-05) LastModified: 2014-11-11 10:56:00 CET Size: 208 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 80
LogicalScreenHeight: 15 ColorResolution: 2 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 1 GlobalColorTable: 0, 0, 0, 255, 255, 255, 128, 128, 128, 0, 153, 51 GraphicControlExtension: DisposalMethod: No disposal specified UserInputFlag: User input not expected TransparencyFlag: Transparent index is not given DelayTime: 20 TransparentColorIndex: 255
ImageDescriptor: ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is not interlaced LocalColorTableFlag: No local color table; use global table if available LocalColorTableSortFlag: Not ordered
LocalColorTableSize: 0 NisoImageMetadata: ByteOrder: little_endian
CompressionScheme: LZW ImageWidth: 80 ImageHeight: 15 ColorSpace: palette color Orientation: normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: Image checked: http://www.martinauer.net/social.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:56:00 CET
RepresentationInformation: /tmp/11277744 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 10:56:00 CET Size: 2613 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 112
LogicalScreenHeight: 22 ColorResolution: 8 BackgroundColorIndex: 253
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 7 GlobalColorTable: 53, 55, 56, 47, 60, 85, 8, 37,
78, 13, 41, 87, 7, 47, 96, 14, 53, 113, 17, 58, 127, 22, 61, 130, 22, 57,
126, 16, 47, 103, 87, 100, 99, 0, 159, 193, 0, 130, 174, 52, 60, 57, 31,
96, 92, 0, 95, 89, 0, 103, 97, 0, 113, 106, 0, 121, 114, 0, 132, 123, 0,
141, 135, 0, 153, 146, 0, 105, 98, 64, 64, 61, 136, 104, 66, 149, 88, 0,
166, 95, 0, 185, 103, 0, 199, 111, 0, 213, 120, 0, 227, 130, 0, 244, 134,
0, 249, 143, 0, 179, 197, 221, 167, 184, 212, 174, 192, 218, 29, 46, 76,
254, 254, 254, 240, 250, 251, 233, 236, 246, 225, 234, 243, 166, 183, 207,
0, 144, 183, 161, 222, 240, 236, 254, 255, 224, 255, 255, 216, 248, 254,
208, 245, 252, 209, 242, 250, 141, 206, 230, 0, 90, 85, 179, 226, 222, 231,
247, 251, 223, 245, 244, 159, 218, 214, 251, 159, 68, 236, 235, 220, 235,
241, 233, 238, 229, 215, 242, 214, 175, 238, 228, 234, 238, 236, 248, 204,
231, 249, 188, 210, 236, 178, 206, 228, 203, 224, 243, 212, 228, 237, 200,
218, 238, 161, 192, 219, 151, 174, 209, 139, 254, 252, 26, 238, 248, 0,
229, 245, 0, 215, 244, 195, 252, 253, 166, 240, 249, 162, 233, 230, 159,
233, 230, 145, 229, 226, 123, 222, 221, 241, 236, 224, 241, 208, 170, 246,
209, 169, 242, 209, 153, 194, 208, 228, 239, 221, 222, 196, 211, 234, 185,
208, 253, 166, 198, 224, 231, 241, 248, 125, 155, 200, 51, 253, 255, 0,
224, 245, 82, 224, 243, 180, 241, 250, 0, 196, 234, 160, 254, 255, 71, 210,
206, 161, 90, 0, 242, 199, 153, 244, 194, 102, 247, 194, 125, 247, 196,
115, 241, 201, 112, 246, 198, 126, 231, 210, 202, 173, 203, 245, 154, 188,
217, 4, 243, 255, 196, 240, 250, 122, 225, 222, 250, 181, 61, 248, 173, 87,
252, 163, 50, 251, 167, 24, 249, 187, 52, 248, 187, 76, 253, 183, 77, 249,
179, 76, 174, 96, 0, 163, 191, 236, 138, 176, 210, 152, 182, 219, 113, 146,
194, 199, 247, 254, 0, 207, 244, 0, 224, 216, 0, 201, 241, 114, 250, 241,
93, 205, 202, 81, 186, 182, 73, 174, 170, 78, 174, 170, 89, 203, 200, 1,
206, 199, 250, 167, 0, 242, 192, 133, 238, 218, 208, 247, 185, 139, 250,
161, 0, 250, 174, 1, 249, 180, 2, 123, 161, 201, 134, 165, 209, 110, 140,
193, 215, 241, 249, 100, 237, 235, 46, 181, 176, 211, 232, 230, 216, 235,
240, 0, 202, 198, 236, 200, 172, 244, 191, 153, 249, 162, 45, 246, 169, 0,
99, 130, 186, 135, 168, 210, 114, 150, 196, 100, 137, 186, 191, 245, 255,
147, 214, 236, 69, 230, 227, 0, 178, 169, 0, 174, 166, 217, 118, 0, 242,
183, 57, 244, 183, 120, 246, 184, 102, 86, 116, 170, 230, 228, 240, 101,
134, 186, 0, 188, 231, 183, 244, 253, 169, 240, 254, 32, 222, 215, 0, 157,
149, 183, 220, 217, 226, 241, 244, 0, 168, 158, 246, 172, 30, 248, 172, 60,
248, 152, 0, 240, 207, 193, 245, 174, 0, 228, 125, 0, 137, 165, 210, 89,
122, 175, 87, 124, 173, 0, 199, 251, 0, 179, 225, 143, 235, 252, 0, 145,
138, 0, 215, 207, 139, 201, 199, 81, 116, 170, 9, 57, 123, 152, 238, 251,
127, 235, 252, 121, 193, 189, 235, 230, 200, 240, 215, 203, 242, 179, 77,
16, 60, 129, 77, 110, 166, 187, 216, 242, 106, 231, 252, 142, 199, 235, 0,
195, 187, 170, 214, 213, 99, 185, 180, 246, 187, 0, 245, 177, 37, 68, 105,
160, 73, 104, 161, 0, 174, 223, 120, 188, 229, 90, 227, 251, 82, 228, 252,
200, 225, 228, 203, 230, 228, 245, 181, 0, 62, 97, 156, 58, 97, 152, 0,
167, 221, 97, 229, 250, 64, 226, 252, 58, 225, 248, 144, 195, 232, 0, 186,
177, 242, 174, 96, 236, 194, 164, 236, 187, 136, 171, 216, 215, 244, 197,
38, 49, 82, 144, 0, 161, 218, 39, 76, 143, 237, 187, 70, 245, 203, 80, 32,
74, 136, 244, 196, 0, 240, 199, 50, 56, 88, 146, 26, 67, 134, 47, 86, 147,
0, 149, 204, 0, 180, 239, 0, 234, 226, 243, 201, 0, 240, 201, 25, 240, 209,
69, 243, 214, 120, 236, 223, 196, 255, 255, 255, 0, 0, 0, 0, 0
```

GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index

```
given DelayTime: 1000 TransparentColorIndex: 253 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is not
interlaced LocalColorTableFlag: No local color table; use global table if
available LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 112 ImageHeight: 22 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://api.flattr.com/button/flattr-badge-large.png>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:56:00 CET
RepresentationInformation: /tmp/7253080 ReportingModule: BYTESTREAM, Rel.
1.3 (2007-04-10) LastModified: 2014-11-11 10:56:00 CET Size: 1639 Format:
bytestream Status: Well-Formed and valid MIMEtype: application/octet-stream
</pre>

Titel: Image checked: https://www.paypal.com/en_US/i/scr/pixel.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 10:56:00 CET
RepresentationInformation: /tmp/32852829 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 10:56:00 CET Size: 43 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 1 LogicalScreenHeight:
1 ColorResolution: 1 BackgroundColorIndex: 255 PixelAspectRatio: 0
GlobalColorTableFlag: Global color table follows; background color index
meaningful GlobalColorTableSortFlag: Not ordered GlobalColorTableSize: 0
GlobalColorTable: 192, 192, 192, 0, 0, 0 GraphicControlExtension:
DisposalMethod: No disposal specified UserInputFlag: User input not
expected TransparencyFlag: Transparent index given DelayTime: 0
TransparentColorIndex: 0 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 1 ImageHeight: 1 ColorSpace: palette color Orientation: normal
BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://www.martinauer.net/lyrmlink.php>. Located
errors, warnings.
Level: 0
Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: There are 4 valid and 1 invalid links.

Level: 80

Gewichtung: HIGH

Beschreibung:

Invalid links prevent web bots from accessing the full content , in order to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,
/>Invalid links:
 , SyntaxError: Parse error
 , Valid links:
 , <http://www.martinauer.net/wwwworks.php>
http://maxampp.pcg.co.at/mail/cushymailform.php?id=martinauernet_en
http://maxampp.pcg.co.at/mail/cushymailform.php?id=martinauernet_de
<http://www.prchecker.info/>

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 1

Level: 0

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

1 remote scripts:
 <http://embed.technorati.com/linkcount>

Titel: 1 inline script elements found

Level: 0

Gewichtung: HIGH

Beschreibung:

Inline Javascript code inside HTML is considered a bad practice.

Titel: No Content-Encoding or Transfer-Encoding defined in HTTP Headers.

Level: 50

Gewichtung: MEDIUM

Beschreibung:

The encoding used on the data is not defined. Web bots , would try assume the possible encoding, leading to potential , mistakes. A Transfer-Encoding header field, which can be used , to specify an auxiliary encoding that was applied , to the data in order to allow it to pass through mail , transport mechanisms , which may have data or character set limitations.

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers are not available.
Level: 50
Gewichtung: MEDIUM

Beschreibung:

HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.