

Beurteilung Spiegelungsfähigkeit

Beschreibung Abspielumgebung

Werktitel	Kwadrant c/y
Werkversion	18.11.2014
Autor	Oliver Gassner
Hauptseite-URL	http://oliver-gassner.de/textratouren/kwadrant/
Datum der Sichtung	18.11.2014
Bearbeiter	S. Kuch
Einrichtung	Deutsches Literaturarchiv Marbach
Betriebssystem	Windows XP
Browser	Firefox 17.0.7
Plugins	

Eine Liste aller zum Werk gehörenden und getesteten URLs findet sich im Anhang A. Das Ergebnis der automatisierten Evaluation mittels ArchiveReady findet sich in Anhang B.

Für die Beurteilung der Archivierbarkeit ist die Anzahl der negativ gewerteten Eigenschaften unerheblich.

Teilbereiche

Dieser Beurteilungsleitfaden beruht auf dem Paper „CLEAR: a credible method to evaluate website archivability“¹ und dient als Grundlage für die Entwicklung eines Programms, das die Beurteilung semiautomatisch durchführt.

Zugänglichkeit

1. Validieren alle Hyperlinks? - Nein.
2. Werden Inhalte dynamisch generiert? - Nein.
3. Gibt es bereits eine archivierte Version, z. B. bei archive.org? Welche Qualität hat diese? - Ja, funktionsfähig
4. Verfügt die Seite über eine Sitemap? - Nein.
5. Verfügt die Seite über eine robots.txt? Schließt diese Crawler oder bestimmten Content aus? - Nein.
6. Verfügt die Seite über Feeds? - Nein.
7. Werden proprietäre Datenformate (Flash/Quicktime) verwendet? - Nein.

Standardkonformität

1. Validierung referenzierter Medien (Bilder, Audio, Video, ...) - Bestanden.
2. Compliance-Prüfung von Webelementen (HTML, CSS) - nicht bestanden (invalides HTML)

Performanz

Werden Anfragen ausreichend schnell beantwortet? - Eingeschränkt.

Kohäsion

Werden Dateien auf verschiedenen Systemen gehostet? - Nein.

¹ Banos et al.: *CLEAR: a credible method to evaluate website archivability*. Lisabon. 2013.

Metadaten

Sind Metadaten aus HTTP Headern vorhanden? - Ja.

Bemerkungen

Die identifizierten invaliden Links verweisen auf externe Websites und sind nicht relevant für das Werk.

Beurteilung

Der schlechteste Wert aus der Evaluierung aller Dokumente ist maßgeblich für die Archivierbarkeit der gesamten Webresource.

Archivierbarkeit 85%

Anhang A: Liste aller zum Werk gehörenden und getesteten URLs

<http://oliver-gassner.de/textratouren/kwadrant/>
<http://oliver-gassner.de/textratouren/kwadrant/index.htm>
http://oliver-gassner.de/textratouren/kwadrant/kcy_01.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_02.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_03.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_04.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_05.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_06.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_07.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_08.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_09.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_10.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_11.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_12.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_13.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_14.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_15.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_16.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_hinw.htm

Anhang B

URL: <http://oliver-gassner.de/textratouren/kwadrant/>
Testdatum: 2014-11-11 09:22:35.566544
Standard Compliance: 83
Archivierbarkeit: 91
Accessibility: 82
Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://oliver-gassner.de/textratouren/kwadrant/h2c2.gif>

<http://oliver-gassner.de/textratouren/kwadrant/t2s2t2.gif>

<http://oliver-gassner.de/textratouren/kwadrant/t1s1t1.gif>

<http://oliver-gassner.de/textratouren/kwadrant/h1c1.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/h2c2.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 09:22:30 CET
RepresentationInformation: /tmp/71112298 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 09:22:29 CET Size: 798 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFmetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 45
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
```

```
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:  
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:  
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48  
ApplicationDataSize: 106  
</pre>
```

```
-----  
Titel: Image checked: http://oliver-  
gassner.de/textratouren/kwadrant/t2s2t2.gif  
Level: 100  
Gewichtung: MEDIUM  
Beschreibung:  
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 09:22:30 CET  
RepresentationInformation: /tmp/89314907 ReportingModule: GIF-hul, Rel. 1.3  
(2006-09-05) LastModified: 2014-11-11 09:22:29 CET Size: 952 Format: GIF  
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul  
MIMEtype: image/gif Profile: GIF 89a GIFmetadata: GraphicRenderingBlocks: 3  
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 49  
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0  
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;  
background color index meaningful GlobalColorTableSortFlag: Not ordered  
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255  
ApplicationExtension: ApplicationIdentifier: NETSCAPE  
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5  
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User  
input not expected TransparencyFlag: Transparent index given DelayTime: 500  
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0  
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced  
LocalColorTableFlag: No local color table; use global table if available  
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0  
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW  
ImageWidth: 31 ImageHeight: 26 ColorSpace: palette color Orientation:  
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:  
DisposalMethod: Do not dispose UserInputFlag: User input not expected  
TransparencyFlag: Transparent index given DelayTime: 500  
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0  
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced  
LocalColorTableFlag: No local color table; use global table if available  
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0  
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW  
ImageWidth: 49 ImageHeight: 26 ColorSpace: palette color Orientation:  
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:  
DisposalMethod: Do not dispose UserInputFlag: User input not expected  
TransparencyFlag: Transparent index given DelayTime: 500  
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0  
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced  
LocalColorTableFlag: No local color table; use global table if available  
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0  
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW  
ImageWidth: 46 ImageHeight: 26 ColorSpace: palette color Orientation:  
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:  
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48  
ApplicationDataSize: 156  
</pre>
```

```
-----  
Titel: Image checked: http://oliver-  
gassner.de/textratouren/kwadrant/t1s1t1.gif  
Level: 100  
Gewichtung: MEDIUM
```

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 09:22:30 CET
RepresentationInformation: /tmp/9702046 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 09:22:29 CET Size: 952 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 3
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 49
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 1
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 31 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 49 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 46 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 156
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/hlcl.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 09:22:30 CET
RepresentationInformation: /tmp/46737695 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 09:22:29 CET Size: 798 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 45
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
```

```
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 106
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://oliver-gassner.de/texttratouren/kwadrant/>.
Located errors, warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 7 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:50 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4ac-75f-4d38229f56580"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 30 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: <http://oliver-gassner.de/textratouren/kwadrant/index.htm>

Testdatum: 2014-11-11 12:13:21.031392

Standard Compliance: 83

Archivierbarkeit: 91

Accessibility: 82

Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:
 http://oliver-gassner.de/textratouren/kwadrant/h2c2.gif
 http://oliver-gassner.de/textratouren/kwadrant/t2s2t2.gif
 http://oliver-gassner.de/textratouren/kwadrant/t1s1t1.gif
 http://oliver-gassner.de/textratouren/kwadrant/h1c1.gif

Titel: Checking 4 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://oliver-gassner.de/textratouren/kwadrant/h2c2.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:13:13 CET
RepresentationInformation: /tmp/83770876 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:13:13 CET Size: 798 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFmetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 45
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
```



```
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 106
</pre>
```

```
-----
Titel: Image checked: http://oliver-
gassner.de/textratouren/kwadrant/t2s2t2.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:13:13 CET
RepresentationInformation: /tmp/26658448 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:13:13 CET Size: 952 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 3
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 49
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 31 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 49 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 46 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 156
</pre>
```

```
-----
Titel: Image checked: http://oliver-
gassner.de/textratouren/kwadrant/t1s1t1.gif
```

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:13:13 CET
RepresentationInformation: /tmp/76827837 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:13:13 CET Size: 952 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 3
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 49
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 1
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 31 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 49 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 46 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 156
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/h1c1.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:13:13 CET
RepresentationInformation: /tmp/25775459 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:13:13 CET Size: 798 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 45
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
```

```
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 106
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML <http://oliver-gassner.de/textratouren/kwadrant/index.htm>. Located 25 errors, 10 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 7 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:50 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4ac-75f-4d38229f56580"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_01.htm

Testdatum: 2014-11-11 12:13:29.674080

Standard Compliance: 80

Archivierbarkeit: 90

Accessibility: 78

Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 2, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 2 local images:
 http://oliver-gassner.de/textratouren/kwadrant/t1s1t1.gif
 http://oliver-gassner.de/textratouren/kwadrant/h1c1.gif

Titel: Checking 2 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://oliver-gassner.de/textratouren/kwadrant/t1s1t1.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:13:22 CET
RepresentationInformation: /tmp/24917714 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:13:22 CET Size: 952 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFmetadata: GraphicRenderingBlocks: 3
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 49
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 1
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 31 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
```

```
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 49 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 46 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 156
</pre>
```

```
-----
Titel: Image checked: http://oliver-
gassner.de/textratouren/kwadrant/h1c1.gif
Level: 100
Gewichtung: MEDIUM
```

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:13:22 CET
RepresentationInformation: /tmp/9636631 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:13:22 CET Size: 798 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 45
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 106
</pre>
```

```
-----
Titel: You are not using any external proprietary objects (Flash,
Quicktime)
```

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.

Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_01.htm. Located 3 errors, 6 warnings.
Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: There are 4 valid and 1 invalid links.

Level: 80

Gewichtung: HIGH

Beschreibung:

Invalid links prevent web bots from accessing the full content , in order to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,
Invalid links:
 , <ftp://ftp.uni-mannheim.de/info/news/netiquette.txt>
 , Valid links:
 , http://oliver-gassner.de/textratouren/kwadrant/kcy_03.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_04.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_12.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_13.htm

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Thu, 17 Jan 2013 20:51:51 GMT
HTTP Etag was clearly
defined in HTTP headers: "7de4af-63e-4d3822a04a7c0"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_02.htm
Testdatum: 2014-11-11 12:13:34.717740
Standard Compliance: 75
Archivierbarkeit: 85
Accessibility: 64
Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: No images found in this page.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Therefore, it is easier to be archived.

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_02.htm. Located 34 errors, 28 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 4 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:51 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4b0-c20-4d3822a04a7c0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 3000 ms

Level: 0

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_03.htm

Testdatum: 2014-11-11 12:13:43.548172

Standard Compliance: 80

Archivierbarkeit: 90

Accessibility: 79

Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 2, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 2 local images:
<http://oliver-gassner.de/textratouren/kwadrant/t2s2t2.gif>
<http://oliver-gassner.de/textratouren/kwadrant/h1c1.gif>

Titel: Checking 2 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/t2s2t2.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:13:36 CET
RepresentationInformation: /tmp/23150792 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:13:35 CET Size: 952 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 3
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 49
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 31 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 49 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 46 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 156
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/txtratouren/kwadrant/hlcl.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:13:36 CET
RepresentationInformation: /tmp/78931666 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:13:35 CET Size: 798 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 45
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
```

```
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 106
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_03.htm. Located 12 errors, 7 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: There are 5 valid and 1 invalid links.
Level: 83
Gewichtung: HIGH
Beschreibung:
Invalid links prevent web bots from accessing the full content , in order
to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,
Invalid links:
 , <http://autos.cs.tu-berlin.de/~oswald/de-comm-chatsystems-faq.html>
 , Valid links:
 , http://oliver-gassner.de/textratouren/kwadrant/kcy_10.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_04.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_01.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_12.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_13.htm

Titel: No CSS files used in this webpage.
Level: 100

Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:52 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4b1-88a-4d3822a13ea00"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_04.htm
Testdatum: 2014-11-11 12:13:53.585446
Standard Compliance: 80

Archivierbarkeit: 90
Accessibility: 79
Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 2, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 2 local images:
 http://oliver-gassner.de/textratouren/kwadrant/t2s2t2.gif
 http://oliver-gassner.de/textratouren/kwadrant/a2s2.gif

Titel: Checking 2 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://oliver-gassner.de/textratouren/kwadrant/t2s2t2.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:13:45 CET
RepresentationInformation: /tmp/8539986 ReportingModule: GIF-hul, Rel. 1.3 (2006-09-05) LastModified: 2014-11-11 12:13:44 CET Size: 952 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 3
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 49
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User input not expected TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 31 ImageHeight: 26 ColorSpace: palette color Orientation:

```
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 49 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 46 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 156
</pre>
```

```
-----
Titel: Image checked: http://oliver-
gassner.de/textratouren/kwadrant/a2s2.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:13:45 CET
RepresentationInformation: /tmp/10173030 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:13:44 CET Size: 712 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 30
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 350
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 350
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 30 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
```

ApplicationDataSize: 103
</pre>

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_04.htm. Located 14 errors, 10 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: There are 5 valid and 1 invalid links.
Level: 83
Gewichtung: HIGH
Beschreibung:
Invalid links prevent web bots from accessing the full content , in order to preserve it. Also check out http://en.wikipedia.org/wiki/Link_rot ,
Invalid links:
 , <http://www.snafu.de/~klinger/hyper.htm>
 , Valid links:
 , http://oliver-gassner.de/textratouren/kwadrant/kcy_03.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_12.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_14.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_13.htm
http://oliver-gassner.de/textratouren/kwadrant/kcy_01.htm

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The

absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTPheaders: Thu, 17 Jan 2013 20:51:52 GMT
HTTP Etag was clearly
defined in HTTP headers: "7de4b2-7f1-4d3822a13ea00"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_05.htm
Testdatum: 2014-11-11 12:13:58.039085
Standard Compliance: 75
Archivierbarkeit: 85
Accessibility: 64
Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: No images found in this page.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Therefore, it is easier to be archived.

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_05.htm. Located 9 errors, 5 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 2 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:53 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4b3-7f1-4d3822a232c40"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 3000 ms

Level: 0

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_06.htm

Testdatum: 2014-11-11 12:14:13.762111

Standard Compliance: 75

Archivierbarkeit: 85

Accessibility: 64

Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: No images found in this page.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Therefore, it is easier to be archived.

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_06.htm. Located 1 errors, 67 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 1 valid links identified.

Level: 100

Gewichtung: HIGH

Beschreibung:

No invalid links found.

Titel: No CSS files used in this webpage.

Level: 100

Gewichtung: HIGH

Beschreibung:

The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:53 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4b4-27e5-4d3822a232c40"
HTTP caching

headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 3000 ms
Level: 0
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_07.htm
Testdatum: 2014-11-11 12:14:29.414955
Standard Compliance: 75
Archivierbarkeit: 85
Accessibility: 64
Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: No images found in this page.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Therefore, it is easier to be archived.

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_07.htm. Located 1 errors, 67 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 2 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:53 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4b5-27e5-4d3822a232c40"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 3000 ms
Level: 0
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_08.htm
Testdatum: 2014-11-11 09:25:27.675989
Standard Compliance: 75
Archivierbarkeit: 85
Accessibility: 64
Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: No images found in this page.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Therefore, it is easier to be archived.

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_08.htm. Located errors, warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:54 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4b6-27c7-4d3822a326e80"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 3000 ms

Level: 0

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_09.htm

Testdatum: 2014-11-11 12:14:45.106876

Standard Compliance: 87

Archivierbarkeit: 92

Accessibility: 82

Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 7, remote images found: 0

Level: 100

Gewichtung: MEDIUM

Beschreibung:

images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 7 local images:
 http://oliver-gassner.de/textratouren/kwadrant/w20100.gif
 http://oliver-gassner.de/textratouren/kwadrant/w_kwadra.gif
 http://oliver-gassner.de/textratouren/kwadrant/wort.gif
 http://oliver-gassner.de/textratouren/kwadrant/o.gif
 http://oliver-gassner.de/textratouren/kwadrant/or.gif
 http://oliver-gassner.de/textratouren/kwadrant/word.gif
 http://oliver-gassner.de/textratouren/kwadrant/ort.gif

Titel: Checking 7 images with JHOVE Object Validation Environment

Level: -1

Gewichtung: MEDIUM

Beschreibung:

Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: http://oliver-gassner.de/textratouren/kwadrant/w20100.gif

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:14:38 CET
RepresentationInformation: /tmp/9836841 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:14:37 CET Size: 965 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFmetadata: GraphicRenderingBlocks: 4
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 48
LogicalScreenHeight: 14 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 20
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 40
```

```
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 80
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 100
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 146
</pre>
```

Titel: Image checked: http://oliver-gassner.de/textratouren/kwadrant/w_kwadra.gif
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:14:37 CET
RepresentationInformation: /tmp/34107991 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:14:37 CET Size: 965 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 4
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 48
LogicalScreenHeight: 14 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 40
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 90
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
```

```
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 160
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 146
</pre>
```

```
-----
Titel: Image checked: http://oliver-
gassner.de/textratouren/kwadrant/wort.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:14:37 CET
RepresentationInformation: /tmp/88735520 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:14:37 CET Size: 126 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 48
LogicalScreenHeight: 14 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 1 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

```
-----
Titel: Image checked: http://oliver-gassner.de/textratouren/kwadrant/o.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:14:37 CET
```

```
RepresentationInformation: /tmp/11592394 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:14:37 CET Size: 113 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 48
LogicalScreenHeight: 14 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 1 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/or.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:14:38 CET
RepresentationInformation: /tmp/5435032 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:14:38 CET Size: 127 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 48
LogicalScreenHeight: 14 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 1 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/word.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:14:38 CET
RepresentationInformation: /tmp/16081361 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:14:38 CET Size: 113 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 48
LogicalScreenHeight: 14 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
```

```
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 1 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/ort.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:14:38 CET
RepresentationInformation: /tmp/1553079 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:14:38 CET Size: 130 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 48
LogicalScreenHeight: 14 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 1 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_09.htm. Located 11 errors, 21
warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 4 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:54 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4b7-c0d-4d3822a326e80"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_10.htm
Testdatum: 2014-11-11 12:14:54.677930
Standard Compliance: 83
Archivierbarkeit: 91
Accessibility: 82
Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 4, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 4 local images:

<http://oliver-gassner.de/textratouren/kwadrant/t2s2t2.gif>

<http://oliver-gassner.de/textratouren/kwadrant/w20100.gif>

<http://oliver-gassner.de/textratouren/kwadrant/als1.gif>

<http://oliver-gassner.de/textratouren/kwadrant/h1c1.gif>

Titel: Checking 4 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/t2s2t2.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:14:47 CET
RepresentationInformation: /tmp/31665731 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:14:46 CET Size: 952 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 3
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 49
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered

```
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 31 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 49 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 46 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 156
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/w20100.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:14:47 CET
RepresentationInformation: /tmp/60569336 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:14:46 CET Size: 965 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 4
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 48
LogicalScreenHeight: 14 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 20
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
```



```
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 40
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 80
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 100
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 48 ImageHeight: 14 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 146
</pre>
```

```
-----
Titel: Image checked: http://oliver-
gassner.de/textratouren/kwadrant/als1.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:14:47 CET
RepresentationInformation: /tmp/28058469 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:14:46 CET Size: 712 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 30
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 150
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
```

```
TransparencyFlag: Transparent index given DelayTime: 150
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 30 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 103
</pre>
```

Titel: Image checked: http://oliver-
gassner.de/textratouren/kwadrant/h1c1.gif
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:14:47 CET
RepresentationInformation: /tmp/49757634 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:14:46 CET Size: 798 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata:GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 45
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 106
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_10.htm. Located 34 errors, 4 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 2 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:54 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4b8-88b-4d3822a326e80"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms

Level: 100

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_11.htm

Testdatum: 2014-11-11 12:15:11.047560

Standard Compliance: 75

Archivierbarkeit: 85

Accessibility: 64

Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: No images found in this page.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Therefore, it is easier to be archived.

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_11.htm. Located 83 errors, 5 warnings.

Level: 0

Gewichtung: HIGH

Beschreibung:

Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 3 valid links identified.

Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:55 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4b9-3246-4d3822a41b0c0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 3000 ms
Level: 0
Gewichtung: HIGH
Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_12.htm
Testdatum: 2014-11-11 12:15:37.851066
Standard Compliance: 91
Archivierbarkeit: 93
Accessibility: 82
Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 14, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 14 local images:

<http://oliver-gassner.de/textratouren/kwadrant/h2c2.gif>

<http://oliver-gassner.de/textratouren/kwadrant/these.gif>

<http://oliver-gassner.de/textratouren/kwadrant/cyber.gif>

<http://oliver-gassner.de/textratouren/kwadrant/u2o2.gif>

<http://oliver-gassner.de/textratouren/kwadrant/t2s2t2.gif>

<http://oliver-gassner.de/textratouren/kwadrant/als1.gif>

<http://oliver-gassner.de/textratouren/kwadrant/a2s2.gif>

<http://oliver-gassner.de/textratouren/kwadrant/hyper.gif>

<http://oliver-gassner.de/textratouren/kwadrant/ulo1.gif>

<http://oliver-gassner.de/textratouren/kwadrant/h1c1.gif>

<http://oliver-gassner.de/textratouren/kwadrant/k2n2.gif>

<http://oliver-gassner.de/textratouren/kwadrant/k1n1.gif>

<http://oliver-gassner.de/textratouren/kwadrant/t1s1t1.gif>

<http://oliver-gassner.de/textratouren/kwadrant/syn.gif>

Titel: Checking 14 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/h2c2.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:18 CET
RepresentationInformation: /tmp/27753315 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:15:18 CET Size: 798 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 45
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 106
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/cyber.gif>
Level: 100
Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:18 CET
RepresentationInformation: /tmp/90477454 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:15:18 CET Size: 164 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 45
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 1 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is not
interlaced LocalColorTableFlag: No local color table; use global table if
available LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/u2o2.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:18 CET
RepresentationInformation: /tmp/67814384 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:15:18 CET Size: 717 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 36
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 400
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 29 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 400
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 36 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 103
</pre>

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/t2s2t2.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:19 CET
RepresentationInformation: /tmp/2948854 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:15:19 CET Size: 952 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 3
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 49
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User


```
input not expected TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 31 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 49 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 46 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 156
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/texttratouren/kwadrant/als1.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:19 CET
RepresentationInformation: /tmp/7173844 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:15:19 CET Size: 712 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 30
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 150
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 150
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
```

```
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 30 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 103
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/a2s2.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:19 CET
RepresentationInformation: /tmp/44318861 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:15:19 CET Size: 712 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 30
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 350
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 350
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 30 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 103
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/these.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:18 CET
RepresentationInformation: /tmp/9657434 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:15:18 CET Size: 160 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
```

```
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1  
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 46  
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0  
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;  
background color index meaningful GlobalColorTableSortFlag: Not ordered  
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255  
GraphicControlExtension: DisposalMethod: No disposal specified  
UserInputFlag: User input not expected TransparencyFlag: Transparent index  
given DelayTime: 0 TransparentColorIndex: 1 ImageDescriptor:  
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is not  
interlaced LocalColorTableFlag: No local color table; use global table if  
available LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0  
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW  
ImageWidth: 46 ImageHeight: 26 ColorSpace: palette color Orientation:  
normal BitsPerSample: 8 BitsPerSampleUnit: integer  
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/hyper.gif>
Level: 100
Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:19 CET  
RepresentationInformation: /tmp/68309398 ReportingModule: GIF-hul, Rel. 1.3  
(2006-09-05) LastModified: 2014-11-11 12:15:19 CET Size: 166 Format: GIF  
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul  
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1  
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 45  
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0  
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;  
background color index meaningful GlobalColorTableSortFlag: Not ordered  
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255  
GraphicControlExtension: DisposalMethod: No disposal specified  
UserInputFlag: User input not expected TransparencyFlag: Transparent index  
given DelayTime: 0 TransparentColorIndex: 1 ImageDescriptor:  
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is not  
interlaced LocalColorTableFlag: No local color table; use global table if  
available LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0  
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW  
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:  
normal BitsPerSample: 8 BitsPerSampleUnit: integer  
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/syn.gif>
Level: 100
Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:21 CET  
RepresentationInformation: /tmp/64842437 ReportingModule: GIF-hul, Rel. 1.3  
(2006-09-05) LastModified: 2014-11-11 12:15:20 CET Size: 121 Format: GIF  
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul  
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 1  
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 27  
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0  
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;  
background color index meaningful GlobalColorTableSortFlag: Not ordered  
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
```

```
GraphicControlExtension: DisposalMethod: No disposal specified
UserInputFlag: User input not expected TransparencyFlag: Transparent index
given DelayTime: 0 TransparentColorIndex: 1 ImageDescriptor:
ImageLeftPosition: 0 ImageTopPosition: 0 InterlaceFlag: Image is not
interlaced LocalColorTableFlag: No local color table; use global table if
available LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/h1c1.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:20 CET
RepresentationInformation: /tmp/53423839 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:15:19 CET Size: 798 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 45
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 45 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 106
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/k2n2.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:20 CET
RepresentationInformation: /tmp/13199377 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:15:19 CET Size: 740 Format: GIF
```

```
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 39
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 150
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 32 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 150
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 39 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 105
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/k1n1.gif>
Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:20 CET
RepresentationInformation: /tmp/94548152 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:15:20 CET Size: 740 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 39
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 100
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 32 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 100
```

```
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 39 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 105
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/tls1t1.gif>

Level: 100

Gewichtung: MEDIUM

Beschreibung:

```
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:21 CET
RepresentationInformation: /tmp/84425150 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:15:20 CET Size: 952 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 3
Blocks:LogicalScreenDescriptor: LogicalScreenWidth: 49
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 1
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 31 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 49 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 250
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 46 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 156
</pre>
```

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/ulol.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:20 CET
RepresentationInformation: /tmp/50103476 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:15:19 CET Size: 717 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 36
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 200
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 29 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 200
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 36 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 103
</pre>

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_12.htm. Located 4 errors, 5 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility
to be preserved correctly

Titel: 6 valid links identified.

Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:55 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4ba-c8e-4d3822a41b0c0"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 20 ms
Level: 100
Gewichtung: HIGH
Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_13.htm
Testdatum: 2014-11-11 12:15:46.564469
Standard Compliance: 100
Archivierbarkeit: 95
Accessibility: 82
Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: Local images found: 2, remote images found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
images used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.
 2 local images:
<http://oliver-gassner.de/textratouren/kwadrant/t2s2t2.gif>
<http://oliver-gassner.de/textratouren/kwadrant/a2s2.gif>

Titel: Checking 2 images with JHOVE Object Validation Environment
Level: -1
Gewichtung: MEDIUM
Beschreibung:
Format validation is the process of determining the level of compliance of a digital object to the specification for its purported format, e.g.: I have an object purportedly of format F; is it?

Titel: Image checked: <http://oliver-gassner.de/textratouren/kwadrant/t2s2t2.gif>
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:39 CET
RepresentationInformation: /tmp/73308308 ReportingModule: GIF-hul, Rel. 1.3 (2006-09-05) LastModified: 2014-11-11 12:15:39 CET Size: 952 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFmetadata: GraphicRenderingBlocks: 3
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 49
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5

```
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 31 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 49 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 500
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 46 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 156
</pre>
```

```
-----
Titel: Image checked: http://oliver-
gassner.de/textratouren/kwadrant/a2s2.gif
Level: 100
Gewichtung: MEDIUM
Beschreibung:
<pre>Jhove (Rel. 1.6, 2011-01-04) Date: 2014-11-11 12:15:39 CET
RepresentationInformation: /tmp/60791879 ReportingModule: GIF-hul, Rel. 1.3
(2006-09-05) LastModified: 2014-11-11 12:15:39 CET Size: 712 Format: GIF
Version: 89a Status: Well-Formed and valid SignatureMatches: GIF-hul
MIMEtype: image/gif Profile: GIF 89a GIFMetadata: GraphicRenderingBlocks: 2
Blocks: LogicalScreenDescriptor: LogicalScreenWidth: 30
LogicalScreenHeight: 26 ColorResolution: 1 BackgroundColorIndex: 0
PixelAspectRatio: 0 GlobalColorTableFlag: Global color table follows;
background color index meaningful GlobalColorTableSortFlag: Not ordered
GlobalColorTableSize: 0 GlobalColorTable: 0, 0, 0, 255, 255, 255
ApplicationExtension: ApplicationIdentifier: NETSCAPE
ApplicationAuthenticationCode: 50, 46, 48 ApplicationDataSize: 5
GraphicControlExtension: DisposalMethod: Do not dispose UserInputFlag: User
input not expected TransparencyFlag: Transparent index given DelayTime: 350
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 27 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer GraphicControlExtension:
DisposalMethod: Do not dispose UserInputFlag: User input not expected
TransparencyFlag: Transparent index given DelayTime: 350
```

```
TransparentColorIndex: 1 ImageDescriptor: ImageLeftPosition: 0
ImageTopPosition: 0 InterlaceFlag: Image is not interlaced
LocalColorTableFlag: No local color table; use global table if available
LocalColorTableSortFlag: Not ordered LocalColorTableSize: 0
NisoImageMetadata: ByteOrder: little_endian CompressionScheme: LZW
ImageWidth: 30 ImageHeight: 26 ColorSpace: palette color Orientation:
normal BitsPerSample: 8 BitsPerSampleUnit: integer ApplicationExtension:
ApplicationIdentifier: GIFCONnb ApplicationAuthenticationCode: 49, 46, 48
ApplicationDataSize: 103
</pre>
```

Titel: You are not using any external proprietary objects (Flash,
Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Valid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_13.htm.
Level: 100
Gewichtung: HIGH
Beschreibung:
Web pages which conform with Web Standards , have a higher possibility to
be preserved correctly

Titel: 5 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web
archiving because they may not be captured when the site is archived. What
is more, the site is depended on 3rd party sites which may not be available
in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The
absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined
in HTTP headers: Thu, 17 Jan 2013 20:51:55 GMT
HTTP Etag was clearly
defined in HTTP headers: "7de4bb-9dc-4d3822a41b0c0"
HTTP caching
headers are critical to improve web archiving bots performance because they
help avoid downloading unmodified content multiple times.

Titel: Network response time is 10 ms
Level: 100
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web
accessibility. Performance evaluation rating is 100 when response time is
200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_14.htm
Testdatum: 2014-11-11 12:15:52.759133
Standard Compliance: 75
Archivierbarkeit: 85
Accessibility: 64
Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available
web pages so that they can more intelligently crawl the site.

Titel: No images found in this page.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Therefore, it is easier to be archived.

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation.
Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_14.htm. Located 41 errors, 28 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 15 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:56 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4bc-1c7e-4d3822a50f300"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 3000 ms

Level: 0

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_15.htm

Testdatum: 2014-11-11 12:15:57.640325

Standard Compliance: 75

Archivierbarkeit: 85

Accessibility: 64

Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.

Level: 0

Gewichtung: HIGH

Beschreibung:

Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: No images found in this page.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Therefore, it is easier to be archived.

Titel: You are not using any external proprietary objects (Flash, Quicktime)

Level: 100

Gewichtung: HIGH

Beschreibung:

Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_15.htm. Located 8 errors, 5 warnings.

Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 5 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:56 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4bd-248c-4d3822a50f300"
HTTP caching

headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 3000 ms
Level: 0
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_16.htm
Testdatum: 2014-11-11 12:16:04.626073
Standard Compliance: 75
Archivierbarkeit: 85
Accessibility: 64
Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: No images found in this page.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Therefore, it is easier to be archived.

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_16.htm. Located 8 errors, 5 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 9 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100
Gewichtung: MEDIUM
Beschreibung:
scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found
Level: 100
Gewichtung: HIGH
Beschreibung:
Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:57 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4be-9fd-4d3822a603540"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 3000 ms
Level: 0
Gewichtung: HIGH
Beschreibung:
Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.

URL: http://oliver-gassner.de/textratouren/kwadrant/kcy_hinw.htm
Testdatum: 2014-11-11 12:16:09.091333
Standard Compliance: 75
Archivierbarkeit: 85
Accessibility: 64
Kohäsion: 100

+++ Meldungen +++

Titel: No sitemap.xml found.
Level: 0
Gewichtung: HIGH
Beschreibung:
Sitemaps are an easy way for webmasters to inform web bots about available web pages so that they can more intelligently crawl the site.

Titel: No images found in this page.
Level: 100
Gewichtung: MEDIUM
Beschreibung:
Therefore, it is easier to be archived.

Titel: You are not using any external proprietary objects (Flash, Quicktime)
Level: 100
Gewichtung: HIGH
Beschreibung:
Proprietary formats are not recommended for , long term preservation. Please consider changing , your content to open formats.

Titel: Invalid HTML http://oliver-gassner.de/textratouren/kwadrant/kcy_hinw.htm. Located 15 errors, 7 warnings.
Level: 0
Gewichtung: HIGH
Beschreibung:
Web pages which do not conform with Web Standards have a lower possibility to be preserved correctly

Titel: 2 valid links identified.
Level: 100
Gewichtung: HIGH
Beschreibung:
No invalid links found.

Titel: No CSS files used in this webpage.
Level: 100
Gewichtung: HIGH
Beschreibung:
The absence of CSS simplifies archiving.

Titel: Local scripts found: 0, remote scripts found: 0
Level: 100

Gewichtung: MEDIUM

Beschreibung:

scripts used in a website but hosted elsewhere may cause problems in web archiving because they may not be captured when the site is archived. What is more, the site is depended on 3rd party sites which may not be available in the future, causing incontrollable problems.

Titel: No inline script elements found

Level: 100

Gewichtung: HIGH

Beschreibung:

Inline JavaScript code inside HTML is considered a bad practice. The absence of inline JavaScript simplifies archiving.

Titel: Content encoding was clearly defined in HTTP Headers.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

This header defines type of encoding used on the data. (e.g. compression).

Titel: Content type was clearly defined.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

Correctly defined HTTP headers help web bots understand the content.

Titel: HTTP caching headers enabled.

Level: 100

Gewichtung: MEDIUM

Beschreibung:

HTTP Expires: was not defined.
HTTP Last-Modified: was clearly defined in HTTP headers: Thu, 17 Jan 2013 20:51:57 GMT
HTTP Etag was clearly defined in HTTP headers: "7de4bf-b36-4d3822a603540"
HTTP caching headers are critical to improve web archiving bots performance because they help avoid downloading unmodified content multiple times.

Titel: Network response time is 3000 ms

Level: 0

Gewichtung: HIGH

Beschreibung:

Website performance affects greatly the process of data aggregation and web accessibility. Performance evaluation rating is 100 when response time is 200ms or less and 0 when response time is more than 2sec.